


Rittal – The System.

Faster – better – everywhere.



VX 8100.730

23 x 89 mm system chassis, stainless steel

State: 2/8/2025 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



VX 8100.730 - 23 x 89 mm system chassis, stainless steel for VX, VX SE

For variable and individual interior installation of the enclosure frame on the inner mounting level.

Features

Model No.	VX 8100.730
Product description	For variable and individual interior installation of the enclosure frame on the inner mounting level.
Benefits	Simply place in the system punchings and screw-fasten System punchings on all four sides With slots at the top and bottom for cage nuts, for attaching your own components via metric screws Especially for cable routing in VX bases/plinths, stainless steel as well as for installation of busbar holders (stainless steel cannot be magnetized)
Material	Stainless steel 1.4301 (AISI 304)
Supply includes	Assembly components
Installation options	In VX on the inner mounting level on the enclosure section VX In VX SE on enclosure section in conjunction with adapter rail VX On identical system chassis, one below the other Base/plinth system VX, stainless steel, width and depth in conjunction with the base/plinth installation angle
Suitable for	Enclosure type: VX VX SE Suitable for width/depth: 400 mm Enclosure type: VX VX SE Suitable for width/depth: 15.7 "
Packaging unit	2 pc(s).
Net weight	0.85
Gross weight	1
Customs tariff number	73269098

Features

EAN	4028177924628
ETIM 9	EC002620
ECLASS 8.0	27189234