




Data
Technical data

Main product function	Operating tool
Number of spacings	3 -way

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Physical data

Depth	150 mm / 5.91 inch
Pin spacing	5/5.08 mm

Mechanical data

Suitable	for male and female connectors with CAGE CLAMP® connection
----------	--

Material data

Fire load	0.323 MJ
Weight	10.8 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
PU (SPU)	100 (1) Stück
Packaging type	box
Country of origin VKOrg Germany	DE
GTIN	4017332270625
Customs tariff number VKOrg Germany	82055980000

Downloads

Documentation

Bid Text

280-433 X81 - Datei	Feb 19, 2019	xml 2.6 kB	Download
280-433 doc - Datei	Sep 11, 2017	doc 24.1 kB	Download

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 280-433 Operating tool; made of insulating material; 3-way	URL	Download
--	-----	----------

Subject to changes. Please also observe the further product documentation!

Installation Notes

Installation



Inserting a male connector via multipole operating tool.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.