

# F204 A-100/0,3



Products Low Voltage Products and Systems Modular DIN Rail Products Residual Current Devices RCDs  
Residual Current Devices RCDs

## General Information

**Extended Product Type:** F204 A-100/0,3

**Product ID:** 2CSF204101R3900

**EAN:** 8012542918301

**Catalog Description:** F204 A-100/0,3 Residual Current Dev.

**Long Description:** The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications.

## Additional Information

|                                           |                                                                                                                                                                      |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Country of Origin:</b>                 | Italy (IT)                                                                                                                                                           |
| <b>Customs Tariff Number:</b>             | 85363030                                                                                                                                                             |
| <b>Data Sheet, Technical Information:</b> | 2CSC400002D0209                                                                                                                                                      |
| <b>Declaration of Conformity - CE:</b>    | 9AKK106713A5602                                                                                                                                                      |
| <b>EAN:</b>                               | 8012542918301                                                                                                                                                        |
| <b>EPLAN Catalog Tree:</b>                | Electrical engineering / Protection devices / Ground fault current circuit breaker                                                                                   |
| <b>EPLAN Function Definition:</b>         | Ground fault current circuit-breaker / Ground fault current circuit breakers, 8 connection points / Ground fault current circuit breaker, four-pole 1_2_3_4_5_6_N_N. |
| <b>ETIM 4:</b>                            | EC000003 - Residual current circuit breaker (RCCB)                                                                                                                   |
| <b>ETIM 5:</b>                            | EC000003 - Residual current circuit breaker (RCCB)                                                                                                                   |
| <b>ETIM 6:</b>                            | EC000003 - Residual current circuit breaker (RCCB)                                                                                                                   |
| <b>Environmental Information:</b>         | S-P-00081                                                                                                                                                            |
| <b>Instructions and Manuals:</b>          | 2CSF423001D6406                                                                                                                                                      |
| <b>Invoice Description:</b>               | F204 A-100/0,3 Residual Current Dev.                                                                                                                                 |
| <b>Maximum Operating Voltage UL/CSA:</b>  | 480Y / 277 V AC                                                                                                                                                      |
| <b>Minimum Order Quantity:</b>            | 1 piece                                                                                                                                                              |
| <b>Number of Poles:</b>                   | 4                                                                                                                                                                    |
| <b>Object Classification Code:</b>        | Q                                                                                                                                                                    |
| <b>Operating Characteristic:</b>          | Instantaneous                                                                                                                                                        |
| <b>Options Provided:</b>                  | -                                                                                                                                                                    |
| <b>Package Level 1 EAN:</b>               | 8012542918301                                                                                                                                                        |
| <b>Package Level 1 Gross Weight:</b>      | 0.423 kg                                                                                                                                                             |
| <b>Package Level 1 Height:</b>            | 0.078 m                                                                                                                                                              |
| <b>Package Level 1 Length:</b>            | 0.096 m                                                                                                                                                              |
| <b>Package Level 1 Units:</b>             | 1 piece                                                                                                                                                              |
| <b>Package Level 1 Width:</b>             | 0.082 m                                                                                                                                                              |
| <b>Position of Neutral Terminals:</b>     | Right                                                                                                                                                                |
| <b>Power Loss:</b>                        | at Rated Operating Conditions per Pole 8.2 W                                                                                                                         |
| <b>Product Main Type:</b>                 | F200                                                                                                                                                                 |
| <b>Product Name:</b>                      | Residual Current Circuit Breaker                                                                                                                                     |
| <b>Product Net Depth:</b>                 | 0.069 m                                                                                                                                                              |
| <b>Product Net Height:</b>                | 0.085 m                                                                                                                                                              |
| <b>Product Net Weight:</b>                | 0.380 kg                                                                                                                                                             |
| <b>Product Net Width:</b>                 | 0.070 m                                                                                                                                                              |
| <b>Rated Current (I<sub>n</sub>):</b>     | 100 A                                                                                                                                                                |
| <b>Rated Frequency (f):</b>               | 50 ... 60 Hz                                                                                                                                                         |
| <b>Rated Operational Voltage:</b>         | 230 / 400 V AC                                                                                                                                                       |
| <b>Rated Residual Current:</b>            | 300 mA                                                                                                                                                               |
| <b>RoHS Status:</b>                       | Following EU Directive 2011/65/EC                                                                                                                                    |
| <b>Selling Unit of Measure:</b>           | piece                                                                                                                                                                |
| <b>Short Description:</b>                 | Residual Current Device - F204 A-100/0,3                                                                                                                             |
| <b>Standards:</b>                         | IEC/EN 61008<br>UL 1053                                                                                                                                              |
| <b>Type of Residual Current:</b>          | A type                                                                                                                                                               |
| <b>Accessories Available:</b>             | Yes                                                                                                                                                                  |

