## OT200U30C



Products -> Low Voltage Products and Systems -> Switches -> Change-over and Transfer Switches -> Manual Change-over Switches

General Information

Extended Product Type: OT200U30C

**Product ID**: 1SCA022874R2840

**EAN:** 6417019340173

Catalog Description: OT200U30C CHANGE-OVER SWITCH

Long Description: Handle and shaft has to be ordered separately

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical Information: 1SCC303003C0201

Instructions and Manuals: 1SCC303008M0203

**Dimensions** 

Product Net Width: 194 mm

Product Net Height: 150 mm

Product Net Depth: 160 mm

Product Net Weight: 2.48 kg

5.47 lb

**Technical** 

Rated Operational Current AC-21A (380 ... 415 V) 250 A

(I<sub>e</sub>): (500 V) 250 A

(690 V) 250 A

Rated Operational Current AC-22A (380 ... 415 V) 250 A

(I<sub>e</sub>): (500 V) 250 A

(690 V) 250 A

Rated Operational Current AC-23A (380 ... 415 V) 250 A

(500 V) 250 A

(690 V) 250 A

Rated Operational Current AC-31B (380 ... 415 V) 250 A

(I<sub>e</sub>):

(l<sub>e</sub>):

Rated Operational Current AC-33B (380 ... 415 V) 250 A

(l<sub>e</sub>):

Conventional Free-air Thermal g =

q = 40 °C 250 A

Current (Ith):

Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	12 kV
Rated Operational Voltage:	1000 V
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 8 kiloampere rms
Pollution Degree:	3
Handle Type:	Handle and shaft not included
Switches Operating Mechanism:	Mechanism at the End of the Switch 30 (Right Side)
Distance Between Phases:	Standard
Position of Line Terminals:	Top In - Bottom Out, Bottom In - Top Out
Operating Mode:	Front operated
Mounting Type:	Base mounting
Number of Poles:	3
echnical UL/CSA	
Horsepower Rating UL/CSA:	(acc. to UL 240 V) 75 Hp (acc. to UL 480 V) 150 Hp (acc. to UL 600 V) 200 Hp
Ampere Rating UL/CSA:	200 A
nvironmental	
Environmental Information:	1SCC303050D0201
ertificates and Declarations (	Document Number)
Declaration of Conformity - CE:	1SCC303006D0202
Environmental Information:	1SCC303050D0201
Instructions and Manuals:	1SCC303008M0203
ontainer Information	
Package Level 1 Units:	1 piece
Package Level 1 Width:	186 mm 7.32 in
Package Level 1 Length:	300 mm 11.81 in
Package Level 1 Height:	185 mm 7.28 in
Package Level 1 Gross Weight:	2.78 kg

6.13 lb

6417019340173

## Classifications

Package Level 1 EAN:

Object Classification Code:	Q
ETIM 5:	EC000216 - Switch disconnector
ETIM 6:	EC000216 - Switch disconnector

