

Products → Low Voltage Products and Systems → Switches → Switch Disconnectors

General Information

Extended Product Type:	OT200U40
Product ID:	1SCA022723R0650
EAN:	6417019232683
Catalog Description:	OT200U40 Non-fusible disconnect switch
Long Description:	Handle and shaft must be ordered separately.

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365080

Popular Downloads

Data Sheet, Technical Information:	1SCC301020C0201
Instructions and Manuals:	1SCC301031M0213

Dimensions

Product Net Width:	213 mm
Product Net Height:	170 mm
Product Net Depth:	70 mm
Product Net Weight:	1.988 kg

Technical

Rated Operational Current AC-22A (I _e):	(380 ... 415 V) 250 A (500 V) 250 A (690 V) 250 A
Rated Operational Current AC-23A (I _e):	(380 ... 415 V) 250 A (500 V) 250 A (690 V) 250 A
Rated Operational Power AC-23A (P _e):	(380 ... 415 V) 110 kW (500 V) 132 kW (690 V) 200 kW
Rated Impulse Withstand Voltage (U _{imp}):	12 kV
Rated Insulation Voltage (U_i):	1000 V
Rated Operational Voltage:	1000 V
Rated Short-Circuit Making Capacity (I_{cm}):	(690 V AC) 30 kA

Rated Short-time Withstand Current (I_{cw}):	for 1 s 8 kiloampere rms
Power Loss:	6.5 W
Pollution Degree:	3
Handle Type:	Handle and shaft not included
Fourth Pole Position:	Right Side
Fourth Pole Type:	Switched - Simultaneous Function
Switches Operating Mechanism:	Mechanism at the End of the Switch 40 (Right Side)
Distance Between Phases:	Standard
Operating Mode:	Front operated
Standards:	IEC&UL
Special Functions:	No
Mounting Type:	Base mounting
Number of Poles:	4
Terminal Type:	Lug terminals

Technical UL/CSA

Horsepower Rating UL/CSA:	(acc. to UL 200 V) 60 Hp (acc. to UL 208 V) 60 Hp (acc. to UL 240 V) 75 Hp (acc. to UL 480 V) 150 Hp (acc. to UL 600 V) 200 Hp
Ampere Rating UL/CSA:	200 A

Environmental

Environmental Information:	1SCC301149D0202
-----------------------------------	-----------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	1SCC301137D0202
Environmental Information:	1SCC301149D0202
Instructions and Manuals:	1SCC301031M0213

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	183 mm
Package Level 1 Length:	285 mm
Package Level 1 Height:	95 mm
Package Level 1 Gross Weight:	1.988 kg
Package Level 1 EAN:	6417019232683

Classifications

Object Classification Code:	Q
ETIM 5:	EC000216 - Switch disconnecter
ETIM 6:	EC000216 - Switch disconnecter

