

Products → Low Voltage Products and Systems → Modular DIN Rail Products
→ Miniature Circuit Breakers MCBs Accessories → Shunt Trips

General Information

Extended Product Type:	S2C-A1
Product ID:	2CDS200909R0001
EAN:	4016779570992
Catalog Description:	S2C-A1 - Shunt Trip
Long Description:	Remote opening of the device when a voltage is applied. Suitable for MCBs S200 series and RCBOs DS 200 series.

Ordering

EAN:	4016779570992
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365080

Dimensions

Product Net Width:	17.5 mm
Product Net Height:	85 mm
Product Net Depth / Length:	69 mm
Product Net Weight:	0.133 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	28 mm
Package Level 1 Height:	105 mm
Package Level 1 Depth / Length:	80 mm
Package Level 1 Gross Weight:	0.138 kg
Package Level 1 EAN:	4016779570992
Package Level 2 Units:	50 piece
Package Level 2 Width:	820 mm
Package Level 2 Height:	560 mm
Package Level 2 Depth / Length:	1200 mm
Package Level 2 Gross Weight:	7 kg
Package Level 2 EAN:	4016779946124

Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
---------------------	---

Additional Information

Function:	Shunt Trip
Power Loss:	0 W
Product Main Type:	S2C
Product Name:	Shunt Trip
RoHS Date:	0335
Standards:	CSA 22.2 No. 235 UL 1077
Suitable For:	S200 S200M S200P S200S DS200AC DS200A DS200MAC DS200MA
Suitable for Product Class:	Miniature Circuit Breaker Residual Current Device

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	9AKK106930A8017
Declaration of Conformity - CE:	2CDK400626D2701
Instructions and Manuals:	GHS2007006P0003
RoHS Information:	2CDK440032D0203

Classifications

eClass:	7.0 27143502
E-nummer:	2102510
ETIM 4:	EC002303 - Shunt
ETIM 5:	EC001286 - Auxiliary contact unit for distribution board
ETIM 6:	EC001286 - Auxiliary contact unit for distribution board
UNSPSC:	39121614

