



Part Number : [1200661236](#)

Product Description : Micro-Change (M12) Double-Ended Cordset, 4 Poles, Female (Straight) to Male (Straight), 18 SJOOW Cable, 2.0m (6.56') Length

Series Number : 120066

Status : Active

Product Category : Circular Industrial Cordsets

Engineering Number : 884030C02M020



Documents & Resources

Drawings

[Drawing 1200661236_sd.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Reviewed per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Electrical Reels
Series	130084
Description	Woodhead POW-R-MITE Heavy Duty Cable Reel with Retraction Weight of 4lbs., 6/2 Type W, 15.24m (50.0') Cord Length with Flying Leads
Comments	Applications: Vertical Lift, Drag, Recovery and Horizontal Stretch with 10% Sag.
Enclosure Rating	NEMA 3
NEMA Configuration	N/A
Product Family	Reels - Woodhead
Product Name	POW-R-MITE
Type	Cable Reel
UPC	78678827472

Agency

CSA	LR29921
-----	---------

Electrical

Current - Maximum per Contact	45.0A
GFCI	No
Lamp Wattage - Maximum	N/A
On/Off Switch	N/A
Voltage - Maximum	600V

Physical

Bulb Included	N/A
Cable Length	N/A
Cable Movement	Ratchet Lock
Cord Length	15.24m (50.0')

Cord Type	6/2 Type W
Depth	0.48m (19.00")
Drum Lock	Ratchet
Duty	Heavy
Guide Arm	4 - Postion
Height	0.52m (20.50")
Lamp Type	N/A
Material - Coating	Powder Coating
Material - Housing	Steel
Mounting Style	Rigid
Number of Conductors	2
Packaging Type	Carton
Primary Cord/Cable Entry	1" NPT
Retraction Weight	1.8kg (4.0 lb)
Width	423.42mm (16.670")
Wire Size (AWG)	6