

Eaton 10D16Q

Catalog Number: 10D16Q

Fuse-link, low voltage, 10 A, AC 500 V, D1, 13.2 x 6 mm, gR, IEC, Fast acting



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage D fuse	10D16Q
	UPC
	051712830379
EAN	Product Length/Depth
5027590428583	50 mm
Product Height	Product Width
13.2 mm	13.2 mm
Product Weight	Warranty
14.5 g	1 year limited
Compliances	Certifications
CE Marked	IEC 60269
RoHS Compliant	EAC
	DIN EN 60269-3 (VDE 0636 Part 30)
	DIN EN 60269-1 (VDE 0636 Part 10)
	DIN VDE 0636-301

defaultTaxonomyAttributeLabel

Type

Fuse

Special features

Fast-acting

Application

For domestic and general industrial applications

Amperage Rating

10 A

Fuse size

D1

Breaking capacity

50 kA

Construction size (fuse inserts)

D1

Rated voltage AC

500 V

Class

Class gR

Fuse type

D16Q - Fast acting

Accessory/spare part type

10GD16 Red screw cap gauge piece

Utilization category

gR (general purpose semiconductor protection)

Color

Red

Interrupt rating

50 kAIC

Fuse indicator

Non-indicating

Connection

Other

Construction

D1

Construction size

Resources

Brochures

[eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf](#)

Catalogs

CA134002EN

10D16Q~Eaton Bussmann series low voltage D fuse

Bussmann series complete full line catalog no. 1007

Compliance information

UKCA Bottle fuse-links, holders, carriers and accessories

CE Bottle fuse-links, holders, carriers and accessories

Technical data sheets

4124 D and D0 fuses, bases and accessories

DI

Fuse shape

Bottle

Response time

Fast-acting

Suitable for

E16/DI Fuse base

Material

White ceramic body

Mounting method

Holder

Packaging type

Standard

Release characteristic

Fast (F)

Voltage rating

500 V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia