

# Eaton 170M2615

Catalog Number: 170M2615

Eaton Bussmann series high speed square body fuse, 125 A, 690 V (IEC), 700 V (UL), 78 Millimeter, Size 0, Top fuse status indicator



## General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M2615
	UPC
	051712254137
EAN	Product Length/Depth
5027590442237	233 mm
Product Height	Product Width
66 mm	140 mm
Product Weight	Warranty
217.5 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated
RoHS Compliant	UL Recognized

## defaultTaxonomyAttributeLabel

### Type

Fuse

### Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

### Amperage Rating

125 A

### Breaking capacity

200 kA

### Fuse indicator

Top fuse status indicator

### Insulated metal gripping lugs (IMGL)

No

### Utilization category

aR (accompanied semiconductor protection)

### Voltage type

AC

### Fuse size

00

### Rated voltage AC

690 V

### Center-to-center distance of connections

78 mm

### Current type

AC

### Mounting dimension

M10

### Class

Class aR

### Clearing (I2T)

6950 at 660 V

### Watt losses

25 W

### Fuse shape

Square body, slotted offset bolted tags

## Resources

### Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

[Bussmann series complete full line catalog no. 1007](#)

### Compliance information

[CE 170M Size 00, rated 690 Vac, up to 400A](#)

[UKCA 170M Size 00, rated 690 Vac, up to 400A](#)

### Drawings

[eaton-fuses-fuse-link-dimensions-005.eps](#)

Pre arc (I2T)

1000

Color

None

Interrupt rating

200 kAIC

Connection

Blade end x blade end

Construction size

00

Packaging type

Standard

Voltage rating

690 V (IEC), 700 V (UL)

Fuse type

DIN 43653

/80 Visual indicator

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)