

Eaton 170M7513

Catalog Number: 170M7513

Fuse-link, high speed, 2000 A, AC 1250 V, 200 kA, size 4, 100 x 120 x 106 mm, aR, IEC, type K indicator

General specifications



Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M7513
	UPC
	051712798464
EAN	Product Length/Depth
5996516021545	202 mm
Product Height	Product Width
116 mm	140 mm
Product Weight	Warranty
3320 g	Not Applicable
Compliances	Certifications
CE Marked	UL Recognized
RoHS Compliant	IEC Rated

defaultTaxonomyAttributeLabel

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

2000 A

Breaking capacity

200 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC/DC

Fuse size

4

Rated voltage AC

1250 V

Center-to-center distance of connections

106 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Clearing (I₂T)

14500000 at 1250 V

Watt losses

235 W

Pre arc (I₂T)

2300000

Resources

Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

[170M7513~Eaton Bussmann series high speed square body fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

Color

None

Interrupt rating

200 kAIC

Construction size

4

Mounting method

Flush

Packaging type

Standard

Voltage rating

1250 V (IEC)

Fuse type

Flush end

SBKN/105 Type K indicator

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



Eaton.com/socialmedia