

# Eaton 20H07-660

Catalog Number: 20H07-660

Fuse-link, low voltage, 20 A, AC 690 V, DC 460 V, BS88/A2, 22 x 82 mm, gL/gG, BS



## General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage	20H07-660
British standard fuse	UPC
	051712674379
EAN	Product Length/Depth
5027590467872	84.5 mm
Product Height	Product Width
21 mm	21 mm
Product Weight	Warranty
48.5 g	Not Applicable
Compliances	
Contact Manufacturer	

## Electrical rating

### Amperage Rating

20 A

### Breaking capacity

80 kA

### Interrupt rating

80 kAIC

### Rated switching capacity

80 kA

### Voltage rating

690 V

### Voltage type

AC/DC

## Physical details

### Color

None

### Fuse type

H07-660

## General information

### Class

Class gG/gL

### Connection

Bolt-on

### Construction size

A2

### Fitted with:

Offset bolted tags

### Fuse indicator

None

### Fuse shape

Offset bolted tags

### Fuse size

BS88/A2

### Insulated metal gripping lugs (IMGL)

No

### Utilization category

gG (cable protection/equipment protection)

## Resources

### Catalogs

[Bussmann series complete full line catalog no. 1007](#)

### Compliance information

[UKCA BS88-2 660V Industrials, H07-660](#)

[CE BS88-2 660V Industrials, H07-660](#)

### Technical data sheets

[4150 H07-660 fuses](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)