

Specifications



Eaton 2D16

Eaton Bussmann series low voltage D fuse, 500V, 2A, 50 kAIC, Non Indicating, fuse, Class C gL/gG, Time delay, Holder, Pink, Ceramic body

General specifications

PRODUCT NAME	Eaton Bussmann series low voltage D fuse
CATALOG NUMBER	2D16
MODEL CODE	FUSE-D1 2A T GL/GG 500VAC E16
UPC	051712833431
EAN	5027590472432
PRODUCT LENGTH/DEPTH	50 mm
PRODUCT HEIGHT	13.2 mm
PRODUCT WIDTH	13.2 mm
PRODUCT WEIGHT	11 g
COMPLIANCES	GoST-R CE Marked RoHS Compliant
CERTIFICATIONS	IEC 60269 VDE DIN EN 60269-3 (VDE 0636 Part 30) DIN EN 60269-1 (VDE 0636 Part 10) DIN VDE 0636-301
GLOBAL CATALOG	2D16



Powering Business Worldwide

Product specifications

AMPERAGE RATING	2 A
FUSE SIZE	DI
BREAKING CAPACITY	50 kA
CONSTRUCTION SIZE (FUSE INSERTS)	DI
RATED VOLTAGE AC	500 V
CLASS	Class C gL/gG
FUSE TYPE	D16 - Time delay
ACCESSORY/SPARE PART TYPE	2GD16 Pink screw cap gauge piece
UTILIZATION CATEGORY	gL/gG (cable protection/equipment protection)
COLOR	Pink
INTERRUPT RATING	50 kAIC
FUSE INDICATOR	Non-indicating
CONNECTION	Other
CONSTRUCTION	D1
CONSTRUCTION SIZE	DI
FUSE SHAPE	Bottle
RESPONSE TIME	Time-delay
SUITABLE FOR	E16/DI Fuse base
MATERIAL	White ceramic body
MOUNTING METHOD	Holder
RELEASE CHARACTERISTIC	Time-lag
QUANTITY	20
VOLTAGE RATING	500 V
TYPE	fuse
APPLICATION	For domestic and general industrial applications

Resources

BROCHURES	eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf
CATALOGS	eaton-bussmann-series-low-voltage-fuses-catalog-ca134002en-en-us.pdf 2D16-Eaton Bussmann series low voltage D fuse Bussmann series complete full line catalog no. 1007 UKCA Bottle fuse-links, holders, carriers and accessories
DECLARATIONS OF CONFORMITY	eaton-low-voltage-d-fuse-declaration-of-conformity-eu250533en.pdf CE Bottle fuse-links, holders, carriers and accessories
TECHNICAL DATA SHEETS	4124 D and D0 fuses, bases and accessories

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

