

# Eaton 35D33

Catalog Number: 35D33

Eaton Bussmann series low voltage D fuse, 500V, 35A, 50 kAIC, Non Indicating, fuse, Class C gL/gG, Time delay, Black, Ceramic body



Photo is representative

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage D fuse	35D33
	<b>Model Code</b>
	FUSE-D3 35A T GL/GG 500VAC E33
<b>UPC</b>	<b>EAN</b>
051712834148	5027590477680
<b>Product Length/Depth</b>	<b>Product Height</b>
50 mm	27 mm
<b>Product Width</b>	<b>Product Weight</b>
27 mm	51 g
<b>Compliances</b>	<b>Certifications</b>
CE Marked	VDE
GoST-R	IEC 60269
RoHS Compliant	DIN EN 60269-3 (VDE 0636 Part 30)
	DIN EN 60269-1 (VDE 0636 Part 10)
	DIN VDE 0636-301

## defaultTaxonomyAttributeLabel

### Type

fuse

### Application

For domestic and general industrial applications

### Amperage Rating

35 A

### Fuse size

DIII

### Breaking capacity

50 kA

### Construction size (fuse inserts)

DIII

### Rated voltage AC

500 V

### Class

Class C gL/gG

### Fuse type

D33 - Time delay

### Accessory/spare part type

35GD33 Black screw cap gauge piece

### Utilization category

gL/gG (cable protection/equipment protection)

### Color

Black

### Interrupt rating

50 kAIC

### Fuse indicator

Non-indicating

### Connection

Other

### Construction

D3

### Construction size

DIII

### Fuse shape

## Resources

### Brochures

[eaton-bussmann-series-d-and-d0-fuses-product-aid-pa132014en-en-us.pdf](#)

### Catalogs

[CA134002EN](#)

### Compliance information

[UKCA Bottle fuse-links, holders, carriers and accessories](#)

[CE Bottle fuse-links, holders, carriers and accessories](#)

### Technical data sheets

[4124 D and D0 fuses, bases and accessories](#)

[Bussmann series D and D0 fuse links and bases data sheet no. 4125](#)

[Bussmann series D and D0 fuse links and bases data sheet no. 4127](#)

Bottle

Response time

Time-delay

Suitable for

E33/DIII Fuse base

TFD33 Fuse base screw fixing

SFRD33 Fuse base DIN-Rail mount

TFRD33 Fuse base DIN-Rail mount

Material

White ceramic body

Release characteristic

Time-lag

Quantity

25

Voltage rating

500 V



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)