

Specifications



Eaton CH30J2

Eaton Bussmann series CH modular fuse holder, 30 A, Two-pole, Class J, Thermoplastic housing, Tin-plated copper clip, 35 mm DIN rail, Panel, 600 Vac/dc

General specifications

PRODUCT NAME	Eaton Bussmann series CH modular fuse holder
CATALOG NUMBER	CH30J2
UPC	051712630849
EAN	5027590161831
PRODUCT LENGTH/DEPTH	4.5 in
PRODUCT HEIGHT	2 in
PRODUCT WIDTH	4 in
PRODUCT WEIGHT	0.848 lb
WARRANTY	Not Applicable
COMPLIANCES	RoHS Compliant CE Marked
CERTIFICATIONS	Contact Manufacturer UL Listed CSA Certified



Powering Business Worldwide

Electrical rating

AMPERAGE RATING	30 A
VOLTAGE RATING	600 Vac, 600 Vdc

General information

CLASS	Class J
MOUNTING METHOD	35 mm DIN rail Panel

Physical details

MATERIAL	Tin-plated copper clip Thermoplastic housing
NUMBER OF POLES	Two-pole
OPERATING TEMPERATURE - MAX	85 °C
OPERATING TEMPERATURE - MIN	85 °C

Resources

	eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf
CATALOGS	Bussmann series complete full line catalog no. 1007 Bussmann series full line catalog 1007, section 8 fuse blocks and holders
CERTIFICATION REPORTS	Eaton Bussmann EU Declaration of conformity 93-68-EEC2301
MULTIMEDIA	Bussmann series Fuseology
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - CH30J2
TECHNICAL DATA SHEETS	Bussmann series Class J CH series modular fuse holders data sheet no. 2144 CH30J2~30AJ MODULAR FUSEHOLDER 2 POLE
TECHNICAL SERVICE BULLETINS	Datasheet - FNQ-30

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

