

Eaton FWP-50G22F

Catalog Number: FWP-50G22F

Eaton Bussmann series FWP high speed fuse, 690V, 50A, 200 kAIC, Non Indicating, High speed fuse, Ferrule end X ferrule end



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWP-50G22F
	UPC
	051712689700
EAN	Product Length/Depth
5027590500937	58 mm
Product Height	Product Width
22 mm	22 mm
Product Weight	Warranty
51 g	No warranty
Compliances	Certifications
CE Marked	UL Recognized
RoHS Compliant	IEC Rated

Product specifications

Fuse indicator

Other

Interrupt rating

200 kAIC

Construction size

22 mm x 58 mm

Clearing (I2T)

1362

Connection

Ferrule end x ferrule end

Material

Ceramic

Release characteristic

Other

Amperage Rating

50 A

Frequency rating - max

62 Hz

Utilization category

gR (general purpose semiconductor protection)

Watt losses

11.85 W

Fuse type

FWP-G22F

Accessories

CH22 Modular fuse holder

Type

High speed fuse

Fuse shape

Cylindrical

Breaking capacity

200 kA

Fuse size

22 x 58 mm

Frequency rating - min

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Compliance information

CE High-speed, cylindrical gR fuse-links

UKCA High-speed, cylindrical gR fuse-links

Technical data sheets

10469 22 x 58 mm gR cylindrical fuse links

45 Hz

Class

Class gR

Pre arc (I2T)

273

Voltage rating

690 V

Application

Semiconductor, DC Common bus, DC drives, Power
converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia