

Eaton JKS-20

Catalog Number: JKS-20

Eaton Bussmann series JKS fuse, Power panelboards, Machinery disconnects, 20 A, 1, Class J, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 Vac, Standard, 10, 600 V



General specifications

Product Name	Catalog Number
Eaton Bussmann series JKS fuse	JKS-20
UPC	Product Length/Depth
051712630207	2.25 in
Product Height	Product Width
0.81 in	0.81 in
Product Weight	Warranty
1.15 lb	Not Applicable
Compliances	
RoHS Compliant	

Electrical rating

Amperage Rating

20 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Number of elements

1

Packaging type

Standard

General information

Class

Class J

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Non-indicating

Resources

Catalogs

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

[Bussmann series complete full line catalog no. 1007](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - JKS-20](#)

Technical data sheets

[JKS-20~LIMITRON FAST ACTING FUSE CLASS J](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)