

Eaton PV-2A10F

Catalog Number: PV-2A10F

Eaton Bussmann series photovoltaic fuses, 1000 Vdc, 2A, 50 kAIC, Non Indicating, IEC 60269-6 type A, Class gPV, Time constant: 1-3 ms, Ferrule end x ferrule end

General specifications



Product Name	Catalog Number
Eaton Bussmann series photovoltaic fuses	PV-2A10F
UPC	Model Code
051712245173	2A 1000V DC SOLAR FERRULE
Product Length/Depth	10x38mm
38 mm	
Product Width	EAN
10 mm	5027590505970
Warranty	Product Height
Not Applicable	10 mm
Certifications	Product Weight
UL Listed	9.8 g
UL 2579	
IEC Rated	Compliances
CSA Certified	RoHS Compliant
UL Listed (when used with Eaton socket)	CE Marked
CCC Marked	

Electrical rating

Amperage Rating

2 A

Voltage rating

1000 Vdc

Interrupt rating

50 kAIC

Class

Class gPV

Pre arc (I₂T)

1.2

Watt losses

0.6 W

Product specifications

Application

Combiner boxes, inverters, pv wire harnesses, Photovoltaic strings

Fuse type

PV-A10F

Fuse indicator

Other

Fuse size

10 x 38 mm

Quantity

10

Compatible fuse holder

Suitable for

CHPV Modular fuse holder

HPV-DV Inline holder

Resources

Catalogs

[Eaton Bussmann Series Photovoltaic Fuses Catalogue](#)

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[UKCA Cylindrical PV fuse-links](#)

[CE Cylindrical PV fuse-links](#)

Technical data sheets

[720110 10x38 mm PV fuses](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)