

Eaton CPS152 211

Catalog Number: CPS152 211

Eaton Crouse-Hinds series Arktite CPS receptacle assembly, 20A, Through feed, 2-wire, 3-pole, Brass contacts, 60 Hz, Style 2, 1 HP, Copper-free alum, Single-gang, Factory sealed, 3/4", Delayed action circuit breaking, 125-250 Vac/18 Vdc

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Arktite CPS receptacle assembly	CPS152 211
	UPC
	782274181608
Product Length/Depth	Product Height
3.5 in	6.72 in
Product Width	Product Weight
8 in	7.1 lb



Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Product specifications

Grounding style

Style 2

Number of gangs

Single-gang

Amperage Rating

20A

Configuration

Two-wire, three-pole

Back box style

Through feed

Trade size

3/4"

Voltage rating

125-250 Vac/18 Vdc

Horsepower

1 hp

Frequency rating

60 Hz

Material

Copper-free aluminum

Contact material

Brass

Special features

Factory sealed

Type

Delayed action circuit breaking

Resources

Catalogs

[Arktite CPS, CPP and CPR Explosionproof Receptacles and Plugs catalog page](#)

Certification reports

[Arktite CPS, CPP, CPR Explosionproof Receptacles, Plugs and Connectors Canadian certification](#)

[Arktime CPS, CPP, CPR Explosionproof Receptacles, Plugs and Connectors](#)

[UL certification](#)

[Installation instructions](#)

[IF 1424 - DSD, GFS, CPS and ENR Replacement Covers](#)

[IF 165 - CPS Receptacles](#)

[IF 654 - CPS 20A Receptacles](#)

[Specifications and datasheets](#)

[Eaton Specification Sheet - CPS152 211](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)