

Specifications





Photo is representative



Eaton E1016-1643ST

Eaton Crouse-Hinds series Cam-Lok J Series E1016 insulated receptacle, Up to 400A continuous, #6 AWG-250 kcmil, Blue, Female, Thermoplastic elastomer (TPE), 1-1/8", Tapped through holes, Threaded stud, 600 Vac/dc

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series Cam-Lok J Series E1016 insulated receptacle
CATALOG NUMBER	E1016-1643ST
UPC	662275128744
PRODUCT LENGTH/DEPTH	3.69 in
PRODUCT HEIGHT	2.25 in
PRODUCT WIDTH	2.25 in
PRODUCT WEIGHT	0.63 lb



Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION	Ordinary/Non-Hazardous Locations
STANDARDS TYPE	NEC/CEC
NEMA RATING	3R

Product specifications

CABLE SIZE	#6 AWG-250 kcmil
AMPERAGE RATING	Up to 400A Continuous
VOLTAGE RATING	600 Vac/dc
MATERIAL	Thermoplastic elastomer (TPE)
TYPE	Threaded stud
GENDER	Female
COLOR	Blue
RECEPTACLE THREADED STUD SIZE	1-1/8"
SPECIAL FEATURES	Tapped through holes

Resources

BROCHURES	Cam-Lok Single Pole Plugs and Receptacles catalog
CATALOGS	Cam-Lok J Series Single Pole Plugs and Receptacles catalog page
INSTALLATION INSTRUCTIONS	IM 1039 - Cam-Lok E1016 and E1018 Panel Mount Receptacles EB 141 - Cam-Lok E1015 and E1016 Molded to Cable Connectors EB 9 - Cam-Lok E1016 and E1018 Connectors IM 1004 - Cam-Lok E1016 and E1018 Double Set Screw
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - E1016-1643ST

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

