

Eaton FMVA25LCY/UNV1 76

Catalog Number: FMVA25LCY/UNV1 76

Eaton Crouse-Hinds series Champ FMVA LED floodlight, 2.18A, Cool white, Dimmable driver, 3/4", 750-1000W equiv, Heat and impact resistant glass lens, 25,000 lm, 117 lm/W, Die cast alum, 7x6 optics, Gray paint, 100-277 Vac, 217W

General specifications



Product Name

Eaton Crouse-Hinds series Champ
FMVA LED floodlight

Catalog Number

FMVA25LCY/UNV1 76

UPC

662276635463

Product Length/Depth

15.5 in

Product Height

12 in

Product Width

7 in

Product Weight

38.8 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class I, Zone 2

Class II, Division 1

NEMA Rating

4X

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

LED

Lumens

25000

Lumens per watt

117

Color temperature

Cool white

Mounting Method

Yoke

Voltage rating

100-277 Vac

Frequency rating

50/60 Hz

Optical distribution

7x6

Entry size

3/4"

Lens material

Heat and impact resistant glass

Finish color

Gray

Wattage

217W

Dimming

Dimmable driver

Equivalent luminaire

750-1000W

Power factor

> 0.90

Amperage Rating

2.18 A

Material

Die cast aluminum

Resources

3D models

[SP3D Design Package - Champ FMVA LED Hazardous Area Floodlights](#)

Brochures

[Crouse-Hinds series DLC approved lighting products](#)

[Crouse-Hinds series Champ FMVA LED Floodlights - 20,000 to 50,000 lumens brochure](#)

Catalogs

[Crouse-Hinds series Champ FMVA LED Floodlights - 20,000 to 50,000 lumens catalog page](#)

Certification reports

[Champ FMVA LED Hazardous Area Floodlights ABS certification](#)

[Champ FMVA LED Hazardous Area Floodlights IECEx Certificate of Conformity](#)

[Champ FMVA LED Hazardous Area Floodlights ATEX Certificate](#)

[Champ FMVA LED Hazardous Area Floodlights Canadian certification](#)

[Champ FMVA LED Hazardous Area Floodlights UL certification](#)

[Champ FMVA LED Hazardous Area Floodlights EC-Declaration of Conformity](#)

Installation instructions

[IF 1883 - Champ FMVA LED Floodlight](#)

[IF 1828 - Champ FMVA LED 20L-25L Floodlights Gen II](#)

[IF 1889 - Champ FMVA/PFMA LED Floodlight Driver Replacement](#)

Specifications and datasheets

[Eaton Specification Sheet - FMVA25LCY/UNV1 76](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia