

Eaton TMCX075 1 SS L

Catalog Number: TMCX075 1 SS L

Eaton Crouse-Hinds series Terminator II TMCX cable gland,Liquid compound,Cable Range:0.49-0.90",Cable Sealing:1 (S),Metal-cladcorrugated armoured,TECK armoured,armoured barrier and tray cable,Armoured gland, Stainless steel, 3/4" NPT

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Terminator II TMCX cable gland	TMCX075 1 SS L
	UPC
	662276303423
Product Length/Depth	Product Height
4.05 in	1.75 in
Product Width	Product Weight
1.75 in	1.22 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class II, Division 1

Class III

NEMA Rating

4X

6P

Product specifications

Protection type

Explosion-proof

Cable type

Metal-clad with interlocked or continuously welded corrugated armoured

Armoured barrier

Tray cable

TECK armoured

Gland type

Armoured

Thread Size

3/4"

Thread type

NPT

Cable sealing range

1 (S)

Cable range (min/max)

0.49-0.90"

Material

Stainless steel

Barrier type

Liquid Compound

Resources

3D CAD drawing package

[Eaton Crouse-Hinds TMCX075 1 SS L 3D drawing](#)

Brochures

[Crouse-Hinds series Chico LiquidSeal flyer](#)

[Crouse-Hinds series TMCX II brochure](#)

Catalogs

[Crouse-Hinds series TMCX II catalog page](#)

Certification reports

[TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier](#)

[Gland UL certification](#)

[TMCX II Explosionproof Armoured Barrier and Non-armoured Barrier](#)

[Gland Canadian certification](#)

[Installation instructions](#)

[IF 1647 - TMCX Terminator II Cable Gland](#)

[IF 1647B - TMCX Terminator II Cable Gland](#)

[Specifications and datasheets](#)

[Eaton Specification Sheet - TMCX075 1 SS L](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia