

Specifications



Photo is representative



Eaton EDSCX21271 SA

Eaton Crouse-Hinds series EDSX selector switch control station, With two 3/4" hubs, Copper-free aluminum, Two-position, two-circuit, 1 device, Single-gang, Gasketed, Through feed, 3/4", 600 Vac

General specifications

PRODUCT NAME	Eaton's Crouse-Hinds series EDSX selector switch control station
CATALOG NUMBER	EDSCX21271 SA
UPC	662277123891
PRODUCT LENGTH/DEPTH	7.03 in
PRODUCT HEIGHT	3.06 in
PRODUCT WIDTH	3.5 in
PRODUCT WEIGHT	4.7 lb
PRODUCT TYPE	Selector switch control station



Powering Business Worldwide

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class II, Division 1 Class III Class I, Division 2 Class I, Zone 2
NEMA RATING	4X
INGRESS PROTECTION (IP) RATINGS	IP66

Product specifications

ENCLOSURE TYPE	With selector switch
VOLTAGE RATING	600 Vac
NUMBER OF GANGS	Single-gang
NUMBER OF DEVICES	1
NORMAL POSITION	Two-position, two-circuit
STYLE	Through feed
TRADE SIZE	3/4"
NUMBER OF POSITIONS	2
NUMBER OF CIRCUITS	2
HUB STYLE	With two 3/4" hubs
MATERIAL	Copper-free aluminum
SPECIAL FEATURES	Gasketed

Resources

CATALOGS	EDS/EDSX Hazardous Area Control Stations catalog page
CERTIFICATION REPORTS	EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification
INSTALLATION INSTRUCTIONS	IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations IF 372 - EDS Notice
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - EDSCX21271 SA

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

