

# Specifications



## Eaton 5366NCR

Eaton Arrow Hart corrosion resistant straight blade plug, #16-12 AWG, 20A, Industrial, 125V, Back wire, Yellow, Nickel-plated brass, Corrosion resistant, Nylon, 5-20P, Two-pole, three-wire, grounding, Screw, 0.33-0.66", Nylon, Core pack

### General specifications

<b>PRODUCT NAME</b>	Eaton Arrow Hart corrosion resistant straight blade plug
<b>CATALOG NUMBER</b>	5366NCR
<b>UPC</b>	040893018102
<b>PRODUCT LENGTH/DEPTH</b>	1.91 in
<b>PRODUCT HEIGHT</b>	4.13 in
<b>PRODUCT WIDTH</b>	1.78 in
<b>PRODUCT WEIGHT</b>	0.145 lb
<b>COMPLIANCES</b>	RoHS Compliant
<b>CERTIFICATIONS</b>	UL NOM Federal Specification Classification 6221 02



Powering Business Worldwide

## Product specifications

<b>DEVICE TYPE</b>	Plug
<b>TYPE</b>	Plug
<b>AMPERAGE RATING</b>	20A
<b>VOLTAGE RATING</b>	125V
<b>CONTACT MATERIAL</b>	Nickel plated brass
<b>APPLICATION</b>	Industrial
<b>DEVICE GRADE</b>	Heavy-duty industrial specification grade
<b>WIRING METHOD</b>	Back wire
<b>ENVIRONMENTAL CONDITIONS</b>	Corrosive
<b>NUMBER OF WIRES</b>	3
<b>NUMBER OF POLES</b>	Two-pole
<b>STYLE TYPE</b>	Straight body
<b>CORD RANGE</b>	0.33-0.66" in diameter
<b>MATERIAL</b>	Nylon
<b>PACKAGING TYPE</b>	Core pack
<b>ENVIRONMENTAL RESISTANCE</b>	Corrosion resistant
<b>COLOR</b>	Yellow
<b>CONNECTION TYPE</b>	Screw
<b>ALLOWABLE WIRE SIZE</b>	#16-12 AWG
<b>NEMA CONFIGURATION</b>	5-20P
<b>TORQUE RATING</b>	14 lbf-inch
<b>DESIGN TYPE</b>	Straight blade
<b>FACE/BODY MATERIAL</b>	Nylon
<b>RECEPTACLE TYPE</b>	Two-pole, three-wire, grounding

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:

## Resources

<b>BROCHURES</b>	<a href="#">Complex environment devices brochure</a>
<b>MULTIMEDIA</b>	<a href="#">Arrow Hart - Connecting Safety to Reliability since 1890</a>
<b>SPECIFICATIONS AND DATASHEETS</b>	<a href="#">Eaton Specification Sheet - 5366NCR</a>



### Eaton Corporation plc

Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

