

# Eaton AHDS60

Catalog Number: AHDS60

Eaton motor control disconnect switch, #14-4 AWG, 60A, Industrial, Mounting feet/DIN rail, flush or 1/4" spacing, 600V, Gray, NEMA 4X, Enclosure: VALOX thermoplastic, Washdown, Three-phase, Rotary switch

## General specifications

Product Name	Catalog Number
Eaton motor control disconnect switch	AHDS60
UPC	Product Length/Depth
032664741357	11 in
Product Height	Product Width
5.5 in	7.5 in
Product Weight	Compliances
5.01 lb	RoHS Compliant
Certifications	
cULus Listed	



## Product specifications

### Switch type

Rotary switch

### Phase

Three-phase

### Color

Gray

### Material

Thermoplastic

### Enclosure

NEMA 4X

### Mounting method

Flush or 1/4 in spacing

Mounting feet/DIN rail

### Allowable wire size

#14-4 AWG

### Amperage Rating

60A

### Number Of Poles

Three-pole

### Enclosure material

VALOX thermoplastic

### Type

Motor control disconnect switch

### Device grade

Industrial

### NEMA Rating

4X

### Environmental conditions

Complex

Washdown

### Voltage rating

600 V

### Application

Industrial

## Resources

### Multimedia

[Motor control disconnect codes and standards](#)

### Specifications and datasheets

[Eaton Specification Sheet - AHDS60](#)

[Non-fused 30 or 60 amp motor control disconnect switch spec sheet](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)