

# Eaton EBMBB FD W30360

Catalog Number: EBMBB FD W30360

Eaton Crouse-Hinds series EBM disconnect switch, 30A, With switch, Non-fused, 7.5 HP/10 HP/20 HP/25 HP, Copper-free aluminum, Polyphase, 200-600 Vac/250 Vdc

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Crouse-Hinds series EBM disconnect switch	EBMBB FD W30360
	UPC
	782274508207
<b>Product Length/Depth</b>	<b>Product Height</b>
14.46 in	25.75 in
<b>Product Width</b>	<b>Product Weight</b>
10.25 in	129 lb



## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

### NEMA Rating

3

3R

4

7

9

12

## Product specifications

### Enclosure type

With switch

### Fusing

Non-fused

### Amperage Rating

30A

### Phase

Polyphase

### Voltage rating

200-600 Vac / 250 Vdc

### Horsepower

7.50 hp/10 hp/20 hp/25 hp

### Material

Copper-free aluminum

## Resources

### 3D models

[SP3D Design Package - EBM Explosionproof Disconnect Switches](#)

### Catalogs

[EBM Series Explosionproof Disconnect Switches catalog page](#)

### Certification reports

[EBM Explosionproof Disconnect Switches Canadian certification](#)

[EBM Explosionproof Disconnect Switches UL certification](#)

### Installation instructions

[IF 1616 - Flange Gasket Replacement Kit](#)

[IF 1149 - Wiring](#)

### Specifications and datasheets

[Eaton Specification Sheet - EBMBB FD W30360](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)