Product specifications

Eaton EDSC228

Catalog Number: EDSC228

Eaton Crouse-Hinds series EDS snap switch control station, 20A, With switch, With two 3/4" hubs, Feraloy iron alloy, 2, Two-gang, Two-pole, 120-277V, Factory sealed, Through feed, Two-pole, 3/4", 120-277 Vac

General specifications

Product Name Catalog Number

Eaton Crouse-Hinds series EDS snap EDSC228

switch control station

UPC

782274765310

Product Length/Depth Product Height

5.06 in 5.875 in

Product Width Product Weight

7.19 in 15.35 lb



Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With switch

Trade size

3/4"

Number Of Poles

Two-pole

Switch function

Two-pole

Number of gangs

Two-gang

Style

Through feed

Voltage rating

120-277 Vac

Amperage Rating

20A

Hub style

With two 3/4" hubs

Number of devices

2

Primary voltage range

120-277V

Material

Feraloy iron alloy

Special features

Factory sealed

Resources

Catalogs

EDS and EDSX Fully Assembled Snap Switches catalog page

Certification reports

EDS and EFD Explosionproof Snap Switches UL certification - industrial control panels and assemblies

EDS and EFD Explosion proof Snap Switches Canadian certification - industrial control panels and assemblies

EDS and EFD Explosionproof Snap Switches Canadian certification - snap switches

EDS and EFD Explosionproof Snap Switches UL certification - snap switches

Installation instructions

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

IF 242 - EDS and EDSC Control Stations

Specifications and datasheets

Eaton Specification Sheet - EDSC228



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia