

Eaton EIDC3200

Catalog Number: EIDC3200

Eaton Crouse-Hinds series EID disconnect switch, 200A, With switch, Non-fused, 15 HP/75 HP/150 HP/200 HP, Copper-free aluminum, 240-600 Vac/250 Vdc

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EID disconnect switch	EIDC3200
	UPC
	662276456051
Product Length/Depth	Product Height
17.44 in	29.44 in
Product Width	Product Weight
13.19 in	167 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Zone 1

Class I, Division 2

Class I, Zone 2

Class II, Division 1

Class III

NEMA Rating

3

3R

4

7

9

Product specifications

Enclosure type

With switch

Fusing

Non-fused

Amperage Rating

200A

Horsepower

15 hp/75 hp/150 hp/200 hp

Material

Copper-free aluminum

Resources

3D CAD drawing package

Eaton Crouse-Hinds EIDC3200 3D drawing

3D models

SP3D Design Package - EID Explosionproof Compact Disconnect Switches

Brochures

EID Series Explosionproof, Compact Disconnect Switches Brochure

Catalogs

EID Series Explosionproof, Compact Disconnect Switches catalog page

Certification reports

EID Explosionproof, Compact Disconnect Switches Canadian certification

EID Explosionproof, Compact Disconnect Switches UL certification

Installation instructions

IF 1532 - EID Disconnect Assembly

IF 1697 - EID 200A and 400A Disconnect

Specifications and datasheets

Eaton Specification Sheet - EIDC3200

EID Explosionproof Disconnect Switches



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)