

# Eaton EIDCF3200

Catalog Number: EIDCF3200

Eaton Crouse-Hinds series EID disconnect switch, 200A, With switch, Fused, 40 HP/60 HP/125 HP/150 HP, Copper-free aluminum, 240-600 Vac/250 Vdc

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Crouse-Hinds series EID disconnect switch	EIDCF3200
	UPC
	662276482036
<b>Product Length/Depth</b>	<b>Product Height</b>
17.44 in	29.44 in
<b>Product Width</b>	<b>Product Weight</b>
13.19 in	167 lb

## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class I, Zone 1

Class I, Division 2

Class I, Zone 2

Class II, Division 1

Class III

### NEMA Rating

3

3R

4

7

9

## Product specifications

### Enclosure type

With switch

### Fusing

Fused

### Amperage Rating

200A

### Horsepower

40 hp/60 hp/125 hp/150 hp

### Material

Copper-free aluminum

## Resources

### 3D CAD drawing package

Eaton Crouse-Hinds EIDCF3200 3D drawing

### 3D models

SP3D Design Package - EID Explosionproof Compact Disconnect Switches

### Brochures

EID Series Explosionproof, Compact Disconnect Switches Brochure

### Catalogs

EID Series Explosionproof, Compact Disconnect Switches catalog page

### Certification reports

EID Explosionproof, Compact Disconnect Switches UL certification

EID Explosionproof, Compact Disconnect Switches Canadian certification

### Installation instructions

IF 1697 - EID 200A and 400A Disconnect

IF 1532 - EID Disconnect Assembly

IF 1696 - EID Fusible Disconnect Switch

### Specifications and datasheets

Eaton Specification Sheet - EIDCF3200

EID Explosionproof Disconnect Switches



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)