

# Eaton ENR5201

Catalog Number: ENR5201

20A 125V DF INTRLCK RCPT UNIT

## General specifications

|  |                |
|--|----------------|
| Product Name   | Catalog Number |
| Eaton Crouse-Hinds series Ark-Gard<br>ENR Value receptacle | ENR5201        |
|  | UPC            |
|  | 782274310954   |
| Product Length/Depth                                       | Product Height |
| 3.5 in   | 6.72 in        |
| Product Width  | Product Weight |
| 8 in   | 1.7 lb         |



## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

### NEMA Rating

3

7

9

12

## Product specifications

### Amperage Rating

20A

### Voltage rating

125 Vac

### Style

Dead end

### NEMA configuration

5-20R

### Material

Copper-free aluminum

### Frequency rating

50-400 Hz

## Resources

### 3D CAD drawing package

[Eaton Crouse-Hinds ENR5201 3D drawing](#)

### Catalogs

[Ark-Gard ENR Value Explosionproof NEMA Locking Devices catalog page](#)

### Certification reports

[Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices UL certification - ENR and ENP](#)

[Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices Canadian certification - ENR and ENP](#)

### Installation instructions

[IF 1424 - DSD, GFS, CPS and ENR Replacement Covers](#)

[IF 344 - Ark-Gard ENR Receptacles ENP Model M97 Plugs](#)

### Specifications and datasheets

[Eaton Specification Sheet - ENR5201](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)