

# Eaton EVIJ4301

Catalog Number: EVIJ4301

Eaton Crouse-Hinds series EVI fixture, Medium base, Heat and impact resistant glass globe, With cast copper-free alum guard, Incandescent, Copper-free alum, PS-25 max. lamp size, Stanchion 25° angled, Factory sealed, 1-1/4", 120 Vac, 300W

## General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EVI light fixture	EVIJ4301
	UPC
	782274209210
Product Length/Depth	Product Height
13.25 in	13.5 in
Product Width	Product Weight
7.25 in	13.5 lb

## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class I, Zone 1

Class I, Zone 2

Class II, Division 1

Class III

### NEMA Rating

4X

### Ingress protection (IP) ratings

IP66

## Product specifications

### Lamp type

Incandescent

### Base type

Medium

### Wattage

300W

### Mounting Method

Stanchion 25° angled

### Trade size

1-1/4"

### Guard type

With cast guard

### Material

Copper-free aluminum

### Globe material

Heat and impact resistant glass

### Guard material

Copper-free aluminum

### Voltage rating

120 Vac

### Lamp size - max

PS-25

### Special features

Factory sealed

## Resources

### Catalogs

[EVI Explosionproof Incandescent Light Fixtures catalog page](#)

### Certification reports

[EVI Explosionproof Incandescent Light Fixtures UL certification \(Marine\)](#)

[EVI Explosionproof Incandescent Light Fixtures UL certification](#)

[EVI Explosionproof Incandescent Light Fixtures Canadian certification](#)

### Installation instructions

[IF 1452 - EVI Explosionproof Incandescent Light Fixtures](#)

Specifications and datasheets

Eaton Specification Sheet - EVIJ4301

---



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)