

Eaton FSQC5630

Catalog Number: FSQC5630

Eaton Crouse-Hinds series Arktite FSQC interlocked receptacle with switch, 60A, Through feed, Two-wire, three-pole, Brass contacts, Copper-free aluminum, Spring door, 1-1/2", Two-pole switch, 120-600 Vac

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Arktite FSQC FSQC5630 interlocked receptacle with switch	UPC 782274981307
Product Length/Depth	Product Height
6.35 in	14.56 in
Product Width	Product Weight
7 in	18 lb



Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Zone 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

12

Product specifications

Amperage Rating

60A

Trade size

1-1/2"

Configuration

Two-wire, three-pole

Receptacle style

Spring door

Back box style

Through feed

Voltage rating

120-600 Vac

Material

Copper-free aluminum

Contact material

Brass

Type

Two-pole switch

Resources

3D CAD drawing package

[Eaton Crouse-Hinds FSQC5630 3D drawing](#)

3D models

[SP3D Design Package - Arktite FSQC Explosionproof Interlocked Receptacles](#)

Catalogs

[Arktite FSQC Explosionproof Interlock Receptacles catalog page](#)

Certification reports

[Arktite FSQC Explosionproof Interlock Receptacles UL certification](#)

[Arktite FSQC Explosionproof Interlock Receptacles Canadian certification](#)

Installation instructions

[IF 748 - FSQ Receptacle Switch Replacement](#)

[IF 926 - FSQ Interlocked Receptacle and Switch](#)

[IF 1363 - FSQ 30 and 60 Amp Interlocked Receptacle and Switch](#)

[IF 83 - FSQ Interlocked Receptacle and Switch - Class I, Group B](#)

[Hazardous \(Classified\) Locations](#)

[IF 1429A - FSQC - Replacing Collar Assembly](#)

[Specifications and datasheets](#)

[Eaton Specification Sheet - FSQC5630](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia