

Eaton FSQC61040

Catalog Number: FSQC61040

Eaton Crouse-Hinds series Arktite FSQC interlocked receptacle, 100A, Three-wire, four-pole, Brass contacts, 50 HP, Copper-free aluminum, 2", Dead front, 480/600 Vac

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Arktite FSQC FSQC61040 interlocked receptacle	UPC 782274150390
Product Length/Depth	Product Height
9 in	19 in
Product Width	Product Weight
10.5 in	47.5 lb



Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

3R

4

7

9

12

Product specifications

Amperage Rating

100A

Trade size

2"

Configuration

Three-wire, four-pole

Voltage rating

480 Vac/600 Vac

Horsepower

50 hp

Material

Copper-free aluminum

Contact material

Brass

Type

Dead front

Resources

3D models

[SP3D Design Package - Arktite FSQC Explosionproof Interlocked Receptacles](#)

Catalogs

[Arktite FSQC Explosionproof Interlock Receptacles catalog page](#)

Certification reports

[Arktite FSQC Explosionproof Interlock Receptacles UL certification](#)

[Arktite FSQC Explosionproof Interlock Receptacles Canadian certification](#)

Installation instructions

[IF 926 - FSQ Interlocked Receptacle and Switch](#)

[IF 748 - FSQ Receptacle Switch Replacement](#)

[IF 1429 - FSQC 100 Amp Interlocked Receptacle and Switch](#)

[IF 1429A - FSQC - Replacing Collar Assembly](#)

[IF 83 - FSQ Interlocked Receptacle and Switch - Class I, Group B Hazardous \(Classified\) Locations](#)

Specifications and datasheets

[Eaton Specification Sheet - FSQC61040](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)