

Eaton FWH-1400A

Catalog Number: FWH-1400A

Eaton Bussmann series FWH high speed fuse, 1400A, 200 kAIC at 1000 Vac, 50 kAIC at 500 Vdc, None, High speed fuse, Blade end X blade end, Stud

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWH-1400A
	UPC
	051712795890
EAN	Product Length/Depth
5027590020831	29 mm
Product Height	Product Width
11 mm	12 mm
Product Weight	Warranty
5523 g	Not Applicable
Compliances	Certifications
CE Marked	CSA Certified
RoHS Compliant	UL Recognized



Product specifications

Interrupt rating

50 kAIC at 500 Vdc

200 kAIC at 1000 Vac

Center-to-center distance of connections

228 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Mounting method

Stud

Amperage Rating

1400 A

Fuse type

FWH-A

Fuse system (according to IEC 60269)

Other

Rated switching capacity

200 A

Voltage rating

500 Vac

Fuse indicator

Non Indicating

Construction size

Other

Clearing (I²T)

1000000

Rated voltage AC

500 V

Color

None

Connection

Blade end x blade end

Mounting dimension

Other

Resources

Catalogs

[IEC high speed fuse links](#)

[Bussmann series complete full line catalog no. 1007](#)

Specifications and datasheets

[Eaton Specification Sheet - FWH-1400A](#)

Utilization category

aR (accompanied semiconductor protection)

Watt losses

210 W

Type

High speed fuse

Fuse shape

Cylindrical, center bolted tags

Breaking capacity

200 kA

Class

Class aR

Pre arc (I²T)

200000

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC

Packaging type

Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia