

Specification Sheet

Part Number: 151-00006



Tubes are fixed a defined distance from the substructure.

Defined diameter for the wire entry.

Retainer is fixed in the hole with BHT-tie.

Cable Guide Standoff, 1.0" Max Bundle Diameter, PA66HIRHSUV, Black, 250/pkg

Article Number	151-00006
----------------	-----------

Type	CGS1
------	------

Color	Black (BK)
-------	------------

Quantity Per	pack
--------------	------

Product Description	This cable guide standoff is designed for the use with HellermannTyton's button head ties. The cable guide standoff stands off bundles from frame rails, providing clearance from bolts and other protrusions for protection against abrasion. This mount also allows the flow-through of salt, dirt and other impurities from the road, preventing unwanted build-up on hoses and harnesses. This product perfectly secures convoluted tubing's up to 26mm in diameter.
---------------------	--

Short Description	Cable Guide Standoff, 1.0" Max Bundle Diameter, PA66HIRHSUV, Black, 250/pkg
-------------------	---

Global Part Name	CGS1-PA66HIRHSUV-BK
Length L (Imperial)	2.23
Length L (Metric)	56.6
Variant	Mounts
Width W (Imperial)	1.0
Width W (Metric)	25.4
Bundle Diameter Max (Imperial)	1.02
Bundle Diameter Max (Metric)	25.8
Height H (Imperial)	1.2
Height H (Metric)	30.5
Mounting Hole Diameter D (Imperial)	0.50 "
Mounting Hole Diameter D (Metric)	12.7 mm
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV

Flammability	UL 94 HB
UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Operating Temperature intermittant, 1000 hours	+320°F (+160°C)
Operating Temperature intermittant, 5000 hours	+257°F (+125°C)
Operating Temperature intermittant, 500 hours	+329°F (+165°C)
BABA Compliant	YES
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#)
[RoHS/WEEE Compliance](#)
[Privacy Policy](#)
[Cookie Policy](#)
[Terms and Conditions](#)