

Specification Sheet

Part Number: 151-04573



Extended-length mount streamlines routing of longer wire bundles in straight-line applications.

Multiple cable tie slots offer routing flexibility during cable installations.

Extra-large adhesive footprint will outlast square mounts.

Mounting holes allow for optional mechanical fastening if desired.

WireRail Rubber Adhesive Mounting Base, 12 x 0.75", Use with T18-T120 Cable Ties or GT.375-GT.75 Grip Ties, PA66HS, Black, 50/bag

Article Number	151-04573
Type	WRMB12A
Color	Black (BK)
Quantity Per	bag
Product Description	The WireRail routing aid combines heavy duty strength and adhesion with high aesthetics and versatility. The 12-inch-long footprint creates perfectly straight vertical or horizontal cable routings. Eight cable tie slots offer flexibility in anchoring wire runs. Choose from acrylic- or rubber-based adhesive, depending on application and mounting environment. One WireRail can replace three-plus square adhesive mounts, for part and labor savings.

Short Description	WireRail Rubber Adhesive Mounting Base, 12 x 0.75", Use with T18-T120 Cable Ties or GT.375-GT.75 Grip Ties, PA66HS, Black, 50/bag
Global Part Name	WRMB12A-PA66HS-BK
Length L (Imperial)	12.0
Length L (Metric)	304.8
Fixation Method	Screw Mounting and Adhesive
Width W (Imperial)	0.86
Width W (Metric)	21.9
Height H (Imperial)	0.33
Height H (Metric)	8.5
Mounting Hole Diameter D (Imperial)	0.19 "
Mounting Hole Diameter D (Metric)	4.8 mm
Material	Polyamide 6.6 heat stabilized (PA66HS)
Material Shortcut	PA66HS
Adhesive	Synthetic rubber with base of polyethylene foam

Flammability	UL 94 V-2 (excluding adhesive)
Halogen Free	No
Use Conditions	For Indoor Use Only
Adhesive Operating Temperature	0°F to +150°F (-18 °C to +66 °C)
Operating Temperature	-40°F to +185°F (-40°C to +85°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	50
Package Quantity (Metric)	50
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)