



FlagTag Labels

Large, easy-to-read wire identification

MADE FOR REAL 

Identification

Labels


Labels for Thermal Transfer Printers

FlagTag Labels

The HellermannTyton FlagTag is an innovative flag-style solution for labeling various conductor sizes. Print from any compatible HellermannTyton thermal transfer printer. Applications include high-density cable groups, where it's not possible to move the wires to view critical identifiers. FlagTags also allow for the printing of barcodes, graphics and multiple lines of text without losing direct visibility of the printed data. Whether the application is in data centers, wire harness assemblies or in hard-to-reach areas, FlagTags are an ideal option for organizing and marking wire and cable or even bundles of cables when required.

Features and Benefits

- Leaves no exposed adhesive, so it won't adhere to adjacent labels.
- Notched score line for error-free, single-finger folding.
- After installation, information can be read from both sides of the marker, making it easy to identify specific cables.
- Locking tail permanently bonds the label to the cable.
- Available in thermal transfer or laser printable formats for expanded printing options.



PART NO.	TYPE	Height (H) in. (mm)	Height (H2) in. (mm)	Height (H3) in. (mm)	Width (W1) in. (mm)	Width (W2) in. (mm)	Color	Qty. per Roll
596-97003	FTTT	1.75 (44.5)	2.25 (57.15)	4.00 (101.60)	1.00 (25.4)	0.25 (6.35)	White gloss	2400

Dimensions are approximate and subject to technical changes. Use Part No. for ordering and Type for specification purposes.



MATERIAL	Polyester (PET)
Adhesive	Acrylic
Operating Temperature	-40°F to +302°F (-40°C to +150°C)

RoHS ✓

FlagTag Installation Instructions



Place adhesive side of label against wire with only the tail touching the wire.



Fold tail over the wire and attach to the exposed adhesive of the bottom label panel.



Fold top panel along perforation over the tail and seal the two panels together.


Labels for Laser Printers

FlagTag Labels

The HellermannTyton FlagTag is an innovative flag-style solution for labeling various conductor sizes. Print from any compatible laser printer. Applications include high-density cable groups, where it's not possible to move the wires to view critical identifiers. FlagTags also allow for the printing of barcodes, graphics and multiple lines of text without losing direct visibility of the printed data. Whether the application is in data centers, wire harness assemblies or in hard-to-reach areas, FlagTags are an ideal option for organizing and marking wire and cable or even bundles of cables when required.

Features and Benefits

- Leaves no exposed adhesive, so it won't adhere to adjacent labels.
- Notched score line for error-free, single-finger folding.
- After installation, information can be read from both sides of the marker, making it easy to identify specific cables.
- Locking tail permanently bonds the label to the cable.
- Available in thermal transfer or laser printable formats for expanded printing options.




MATERIAL	Polyester (PET)
Adhesive	Acrylic
Operating Temperature	-40°F to +302°F (-40°C to +150°C)



PART NO.	TYPE	Height (H) in. (mm)	Height (H2) in. (mm)	Height (H3) in. (mm)	Width (W1) in. (mm)	Width (W2) in. (mm)	Color	Pkg. Qty.
596-97004	FTLS	1.75 (44.5)	2.25 (57.15)	4.00 (101.60)	1.00 (25.4)	0.25 (6.35)	White gloss	2400

Dimensions are approximate and subject to technical changes. Use Part No. for ordering and Type for specification purposes.



HellermannTyton North American Corporate Headquarters

7930 N. Faulkner Rd, PO Box 245017
Milwaukee, WI 53224-9517
Phone: (414) 355-1130, (800) 537-1512
Fax: (414) 355-7341, (800) 848-9866
email: corp@htamericas.com
www.hellermann.tyton.com

IATF 16949, AS9100, ISO 9001 and ISO14001 certified

HellermannTyton Canada

Unit #4, 205 Industrial Parkway North
Aurora, Ontario L4G 4C4 Canada
Phone: (800) 661-2461
Fax: (800) 390-3904
email: sales@hellermanntyton.ca

HellermannTyton Mexico

Anillo Periferico Sur 7980 Edificio 6A
Parque Industrial Tecnológico II
Santa María Tequexpan
Tlaquepaque, Jalisco, Mexico 45601
Phone: 011-52-33-3-133-9880
Fax: 011-52-33-3-133-9861
email: info-mx@hellermanntyton.com

ISO 9001 certified

Warranty Policy – HellermannTyton products are warranted to be free from defects in material and workmanship at the time sold by us; but our obligation under this warranty and that of the seller is limited to the replacement of the product, and neither we nor the seller are bound by any other warranty, expressed, implied or statutory. Under no circumstances are we or the seller liable for any loss, damage, expenses or consequential damages of any kind arising out of the use or inability to use these products. All are sold with the understanding that the user will test them in actual use and determine their adaptability for the intended uses.