

Specification Sheet

Part Number: MK9P

Tool made of heavy duty parts to ensure optimum performance in demanding environments.

Ideal for heavy-duty ties (T50-T250), clamp and button head ties.

Same ergonomic improvements as the MK7P.

Low weight, comfortable grip and easy trigger depression.

Very durable, with adjustable, easy to read tension settings.

Lock-out features available.

Comes with lower air attachment, and optional upper air attachment.



MK9 Pneumatic, Handle Air Supply Connection, Plastic Housing, 1/Pkg

Article Number	110-09101
----------------	-----------

Type	MK9P
------	------

Color	Black (BK)
-------	------------

Quantity Per	pack
--------------	------

Product Description	The Mark 9 Pneumatic (MK9P) is constructed with heavy duty parts to ensure that it performs optimally in demanding environments. It is ideally designed to apply heavy-duty ties (T50-T250), clamp and button head ties. Like the MK7P, HellermannTyton's MK9P incorporates the next level of ergonomic improvement with its low weight, comfortable grip and easy trigger depression. Very durable, the pneumatic MK9P features adjustable, easy to read tension settings. Lock-out features are available. The MK9P is available with lower air attachment (standard) or can be ordered with an upper air attachment.
Short Description	MK9 Pneumatic, Handle Air Supply Connection, Plastic Housing, 1/Pkg
Global Part Name	MK9P-PA66GF30-BK
Length L (Metric)	280
Width W (Metric)	55
Cable Ties	T50 thru T250 Series CTT20 thru CTT175 Series El-TY Series Button Head Series
Cycle Time	2 strokes per second
Height H (Metric)	200
Tension Setting Tools	Adjustable
Cable Tie Width Max (Imperial)	0.5
Power Supply	Dry or lubricated air
Material	Polyamide 6.6, glass fiber reinforced (PA66GF30%)

Material Shortcut	PA66GF30
UV Resistant (Yes/No)	No
Use Conditions	For Indoor and Outdoor Use
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	8467195090

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.
[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)