

# HUBBELL

## Wiring Device-Kellems


PRODUCT BROCHURE

# GFCI

# Receptacles

Designed to perform in every environment





**Copper alloy power and ground contacts**

**Power status LED**

**Impact resistant face cover**



## Meet our comprehensive line of GFCI receptacles

Unmatched protection for every environment

Hubbell Wiring-Device Kellems offers the industry's most comprehensive lineup of ground fault circuit interrupted (GFCI) receptacles, designed to meet the demands of any setting—from residential and educational spaces to industrial and healthcare facilities.

All GFCI receptacles feature patented AUTOGUARD® self-test technology and exclusive closed loop active detection (CLAD), ensuring superior immunity to electrical noise and transient events. Designed for long-term durability and easy installation, our devices meet UL safety standards and deliver consistent, dependable protection.

- Full range of GFCIs for every application and environment
- AUTOGUARD self-test technology ensures continuous protection
- CLAD technology for exceptional immunity to transient events
- Patented tamper-resistant shutters provide seamless plug engagement and added safety



## Hubbell PRO GFCI Receptacles

Electrical devices don't have to compromise on beautiful décor and high-end aesthetics to ensure maximum safety. Hubbell PRO ground fault (GFCI) receptacles are designed to blend with their surroundings by minimizing text markings, stepped surfaces, and lights. The low-profile receptacles feature a satin finish that complements modern interiors without drawing extra attention.

- Ideal for residential and light commercial applications.
- Available in Tamper Resistant (TR), Weather Resistant (WR), or standard configurations.
- A normally-off LED flashes red to signal end-of-life for the receptacle.
- Thin profile with internal back and side wire options for quick installation.



Homes



Hotels



Dormitories



## Heavy Duty Commercial GFCI Receptacles

Our updated Heavy Duty Commercial GFCI receptacles are engineered for superior performance in demanding environments like airports, schools, and office buildings. Featuring more robust internal components and an advanced control board, these receptacles are built to handle the higher electrical noise, and usage loads common in commercial settings. A single LED indicator clearly communicates device status, while the flush test/reset buttons deliver a clean, professional look.

- SNAPConnect variations available for superior installation efficiency in new construction and renovations.
- Heavy Duty Commercial GFCI Receptacles are also available in specialty configurations.
- Configurations include Blankface, Night Light, Alarm, Combination Switch, and Isolated Ground.
- All Heavy Duty Commercial Receptacles come with a polycarbonate wall plate in the box.



Airports



Schools



Offices



Public  
restrooms



## Hospital Grade GFCI Receptacles

Hospital grade GFCI receptacles are available in commercial and industrial models, designed for superior safety and durability in medical environments. Commercial versions offer tamper- and weather-resistant options with SNAPConnect® compatibility, while industrial models feature rugged construction for extreme conditions.

- Commercial Hospital Grade: Durable nylon and high performance copper alloy construction, ideal for general healthcare spaces, includes tamper/weather-resistant options and SNAPConnect compatibility.
- Industrial Hospital Grade: Built for harsh environments with nickel-plated copper alloy contacts, stainless steel hardware, and UV-stabilized housings.
- Universal Features: Both models include a single LED status indicator and are built to meet the stringent demands of healthcare environments.



**Hospitals**



**Laboratories**



**Medical centers**



**Public Restrooms**



## Industrial Grade GFCI Receptacles

Industrial Grade GFCI Receptacles are built for the most demanding environments where safety and reliability are critical. Featuring rugged, extra heavy-duty housing constructed from high-impact, UV-stabilized, VO-rated polyester and conformal-coated internal components, this GFCI offers superior protection against corrosion, moisture, and physical damage.

- Includes stainless steel and polycarbonate wall plates for flexible installation straight out of the box.
- Nickel-plated copper alloy contacts, stainless steel hardware, and tamper and weather-resistant design.
- Built for manufacturing plants, laboratories, garages, and other heavy-duty applications.
- When durability and performance matter most, Hubbell industrial GFCIs deliver unmatched protection.



**Factories**



**Mobile power**



**Wet processing facilities**

# GFCI SKU Information

## Find the right GFCI receptacle for your project

Our extensive line of GFCI receptacles is designed to meet the diverse needs of commercial, healthcare, and industrial environments. Grades are 5: Hubbell PRO, Heavy Duty Commercial Grade, Heavy Duty Hospital Grade, Extra Heavy Duty Industrial Grade, Extra Heavy Duty Industrial Hospital Grade – each built to deliver unmatched performance, safety, and reliability. Whether you’re outfitting a standard facility or a mission-critical space, we have a receptacle that meets your needs.

Our line also includes a wide variety of specialty options such as Isolated Ground (IG), Nightlight, Blank Face, Audible Alarm, and Combo Switch/Outlet models, ensuring the right fit for any application. Each receptacle is available in 15A and 20A versions, as well as a variety of colors including black, gray, light almond, ivory, red, brown, and white.

Use the following SKU charts to see our entire line of GFCI receptacles:



### Hubbell Pro Offering

Description	Color	15A	20A
Standard Receptacle	Brown	GF15	GF20
	Black	GF15BK	GF20BK
	Gray	GF15GY	GF20GY
	Ivory	GF15I	GF20I
	Light Almond	GF15LA	GF20LA
	Red	GF15R	GF20R
	White	GF15W	GF20W
Tamper Resistant	Brown	GFT15	GFT20
	Black	GFT15BK	GFT20BK
	Gray	GFT15GY	GFT20GY
	Ivory	GFT15I	GFT20I
	Light Almond	GFT15LA	GFT20LA
	Red	GFT15R	GFT20R
	White	GFT15W	GFT20W
Tamper Resistant / Weather Resistant	Brown	GFTW15	GFTW20
	Black	GFTW15BK	GFTW20BK
	Gray	GFTW15GY	GFTW20GY
	Ivory	GFTW15I	GFTW20I
	Light Almond	GFTW15LA	GFTW20LA
	Red	GFTW15R	GFTW20R
	White	GFTW15W	GFTW20W



**Heavy Duty Commercial Grade Offering**

Description	Color	15A	20A
<b>Standard Receptacle</b>	Brown	GFR15	GFR20
	Black	GFR15BLK	GFR20BLK
	Gray	GFR15GRY	GFR20GRY
	Ivory	GFR15I	GFR20I
	Light Almond	GFR15LA	GFR20LA
	Red	GFR15R	GFR20R
	White	GFR15W	GFR20W
<b>Tamper-Resistant</b>	Brown	GFRT15	GFRT20
	Black	GFRT15BLK	GFRT20BLK
	Gray	GFRT15GRY	GFRT20GRY
	Ivory	GFRT15I	GFRT20I
	Light Almond	GFRT15LA	GFRT20LA
	Red	GFRT15R	GFRT20R
	White	GFRT15W	GFRT20W
<b>Weather Resistant</b>	Brown	GFRWR15	GFRWR20
	Black	GFRWR15BLK	GFRWR20BLK
	Gray	GFRWR15GRY	GFRWR20GRY
	Ivory	GFRWR15I	GFRWR20I
	Light Almond	GFRWR15LA	GFRWR20LA
	Red	GFRWR15R	GFRWR20R
	White	GFRWR15W	GFRWR20W
<b>Tamper-Resistant / Weather-Resistant</b>	Brown	GFRTW15	GFRTW20
	Black	GFRTW15BLK	GFRTW20BLK
	Gray	GFRTW15GRY	GFRTW20GRY
	Ivory	GFRTW15I	GFRTW20I
	Light Almond	GFRTW15LA	GFRTW20LA
	Red	GFRTW15R	GFRTW20R
	White	GFRTW15W	GFRTW20W
<b>ASSEMBLED IN USA - Standard Receptacle</b>	Black	GFRST15BKU	GFRST20BKU
	Gray	GFRST15GYU	GFRST20GYU
	Ivory	GFRST15IU	GFRST20IU
	Light Almond	GFRST15LAU	GFRST20LAU
	Red	GFRST15RU	GFRST20RU
	Brown	GFRST15U	GFRST20U
	White	GFRST15WU	GFRST20WU
<b>ASSEMBLED IN USA - Tamper-Resistant / Weather-Resistant</b>	Black	GFTWRST15BKU	GFTWRST20BKU
	Gray	GFTWRST15GYU	GFTWRST20GYU
	Ivory	GFTWRST15IU	GFTWRST20IU
	Light Almond	GFTWRST15LAU	GFTWRST20LAU
	Red	GFTWRST15RU	GFTWRST20RU
	Brown	GFTWRST15U	GFTWRST20U
	White	GFTWRST15WU	GFTWRST20WU
<b>SNAPConnect</b>	Light Almond	SNAPGF15LA	SNAPGF20LA
	White	SNAPGF15W	SNAPGF20W
	Gray	SNAPGF15GRY	SNAPGF20GRY
	Ivory	SNAPGF15I	SNAPGF20I
	Black	-	SNAPGF20BLK
	Red	-	SNAPGF20R
	Brown	-	SNAPGF20
<b>SNAPConnect - Tamper-Resistant / Weather-Resistant</b>	Brown	SNAPGFTW15	SNAPGFTW20
	Black	SNAPGFTW15BLK	SNAPGFTW20BLK
	Ivory	SNAPGFTW15I	SNAPGFTW20I
	White	SNAPGFTW15W	SNAPGFTW20W
	-	-	SNAPGFTW20GRY
	-	-	SNAPGFTW20LA
	-	-	SNAPGFTW20R



**Heavy Duty Commercial Grade Specialty Offering**

Description	Color	15A	20A
<b>Combination Switch</b>	Ivory	GF15SPI	-
	Light Almond	GF15SPLA	-
	White	GF15SPW	-
	-	-	-
	-	-	-
	-	-	-
<b>Alarm - Standard</b>	Brown	GFR15B	GFR20B
	Gray	GFR15GYB	GFR20GYB
	Ivory	GFR15IB	GFR20IB
	Light Almond	GFR15LAB	GFR20LAB
	White	GFR15WB	GFR20WB
	Red	-	GFR20RB
<b>Alarm - Tamper Resistant</b>	Black	-	GFR20BKB
	Light Almond	GFTR15LAB	-
	Ivory	GFTR15IB	GFTR20IB
	Black	GFTR15BKB	GFTR20BKB
	White	GFTR15WB	GFTR20WB
	Brown	-	GFTR20B
<b>Isolated Ground - Tamper-Resistant / Weather-Resistant</b>	Gray	-	GFTR20GYB
	Red	-	GFTR20RB
	Gray	GFTWR15GYIG	GFTWR20GYIG
	Brown	GFTWR15IG	GFTWR20IG
	White	GFTWR15WIG	GFTWR20WIG
	Black	-	GFTWR20BKIG
<b>Nightlight - Standard</b>	Ivory	-	GFTWR20IIG
	Light Almond	-	GFTWR20LAIG
	Orange	-	GFTWR20ORIG
	Red	-	GFTWR20RIG
	Black	GFR15BKNL	GFR20BKNL
	Gray	GFR15GYNL	GFR20GYNL
<b>Nightlight - Tamper-Resistant</b>	Ivory	GFR15INL	GFR20INL
	Light Almond	GFR15LANL	GFR20LANL
	Brown	GFR15NL	GFR20NL
	White	GFR15WNL	GFR20WNL
	Red	-	GFR20RNL
	Black	GFTR15BKNL	GFTR20BKNL
<b>Blank Face</b>	Gray	GFTR15GYNL	GFTR20GYNL
	Ivory	GFTR15INL	GFTR20INL
	Light Almond	GFTR15LANL	GFTR20LANL
	Brown	GFTR15NL	GFTR20NL
	White	GFTR15WNL	GFTR20WNL
	Red	-	GFTR20RNL
<b>Blank Face - Horsepower Rated</b>	Brown	-	GFBF20
	Black	-	GFBF20BK
	Gray	-	GFBF20GY
	Ivory	-	GFBF20I
	Light Almond	-	GFBF20LA
	Red	-	GFBF20R
<b>Blank Face - Horsepower Rated</b>	White	-	GFBF20W
	Brown	-	GFBFHP20
	Black	-	GFBFHP20BK
	Gray	-	GFBFHP20GY
	Ivory	-	GFBFHP20I
	Light Almond	-	GFBFHP20LA
Red	-	GFBFHP20R	
White	-	GFBFHP20W	



### Heavy Duty Hospital Grade Offering

Description	Color	15A	20A
<b>Standard Hospital Grade Receptacle</b>	Brown	GFR82	GFR83
	Black	GFR82BLK	GFR83BLK
	Gray	GFR82GRY	GFR83GRY
	Ivory	GFR82I	GFR83I
	Light Almond	GFR82LA	GFR83LA
	Red	GFR82R	GFR83R
	White	GFR82W	GFR83W
<b>ASSEMBLED IN USA - Standard HG</b>	Almond	GFRST82ALU	GFRST83ALU
	Black	GFRST82BKU	GFRST83BKU
	Gray	GFRST82GYU	GFRST83GYU
	Ivory	GFRST82IU	GFRST83IU
	Light Almond	GFRST82LAU	GFRST83LAU
	Red	GFRST82RU	GFRST83RU
	Brown	GFRST82U	GFRST83U
<b>ASSEMBLED IN USA - Tamper-Resistant / Weather-Resistant</b>	White	GFRST82WU	GFRST83WU
	Black	GFTWRST82BKU	GFTWRST83BKU
	Gray	GFTWRST82GYU	GFTWRST83GYU
	Ivory	GFTWRST82IU	GFTWRST83IU
	Light Almond	GFTWRST82LAU	GFTWRST83LAU
	Red	GFTWRST82RU	GFTWRST83RU
	Brown	GFTWRST82U	GFTWRST83U
<b>Tamper-Resistant / Weather-Resistant</b>	White	GFTWRST82WU	GFTWRST83WU
	Brown	GFRTW82	GFRTW83
	Black	GFRTW82BLK	GFRTW83BLK
	Gray	GFRTW82GRY	GFRTW83GRY
	Ivory	GFRTW82I	GFRTW83I
	Light Almond	GFRTW82LA	GFRTW83LA
	Red	GFRTW82R	GFRTW83R
<b>SNAPConnect</b>	White	GFRTW82W	GFRTW83W
	Ivory	SNAPGF82I	SNAPGF83I
	Light Almond	SNAPGF82LA	SNAPGF83LA
	Red	SNAPGF82R	SNAPGF83R
	White	SNAPGF82W	SNAPGF83W
	Brown	-	SNAPGF83
	Black	-	SNAPGF83BLK
<b>SNAPConnect - Tamper-Resistant / Weather Resistant</b>	Gray	-	SNAPGF83GRY
	Gray	SNAPGFTW82GRY	SNAPGFTW83GRY
	Ivory	SNAPGFTW82I	SNAPGFTW83I
	Light Almond	SNAPGFTW82LA	SNAPGFTW83LA
	Red	SNAPGFTW82R	SNAPGFTW83R
	White	SNAPGFTW82W	SNAPGFTW83W
	-	-	SNAPGFTW83
-	-	SNAPGFTW83BLK	





**Heavy Duty Hospital Grade Specialty Offering**

Description	Color	15A	20A
<b>Alarm - Standard</b>	Brown	GFR82B	GFR83B
	Gray	-	GFR83GYB
	Ivory	-	GFR83IB
	Red	-	GFR83RB
	White	-	GFR83WB
	-	-	-
<b>Alarm - Tamper-Resistant</b>	Gray	GFR82GYB	GFR83GYB
	Ivory	GFR82IB	GFR83IB
	White	GFR82WB	GFR83WB
	Brown	-	GFR83B
	Red	-	GFR83RB
	-	-	-
<b>Isolated Ground - Tamper-Resistant / Weather Resistant</b>	Ivory	GFTWR82IIG	GFTWR83IIG
	White	GFTWR82WIG	GFTWR83WIG
	Gray	-	GFTWR83GYIG
	Brown	-	GFTWR83IG
	Light Almond	-	GFTWR83LAIG
	Orange	-	GFTWR83ORIG
	Red	-	GFTWR83RIG
<b>Nightlight</b>	Gray	GFR82GYNL	GFR83GYNL
	Ivory	GFR82INL	GFR83INL
	Red	GFR82RNL	GFR83RNL
	White	GFR82WNL	GFR83WNL
	Light Almond	-	GFR83LANL
	Brown	-	GFR83NL
	-	-	-
<b>Nightlight - Tamper Resistant</b>	Black	GFR82BKNL	GFR83BKNL
	Gray	GFR82GYNL	GFR83GYNL
	Ivory	GFR82INL	GFR83INL
	Red	GFR82RNL	GFR83RNL
	White	GFR82WNL	GFR83WNL
	Light Almond	-	GFR83LANL
Brown	-	GFR83NL	





### Extra Heavy Duty Hospital Grade Offering

Description	Color	15A	20A
Tamper-Resistant / Weather-Resistant	Brown	GFSG8200	GFSG8300
	Black	GFSG8200BLK	GFSG8300BLK
	Gray	GFSG8200GRY	GFSG8300GRY
	Ivory	GFSG8200I	GFSG8300I
	Red	GFSG8200R	GFSG8300R
	White	GFSG8200W	GFSG8300W
	-	-	-



VERIFIED TO  
FEDERAL SPECIFICATION  
W-C-596



### Extra Heavy Duty Industrial Grade Offering

Description	Color	15A	20A
Tamper-Resistant / Weather-Resistant	Brown	GFSG5262	GFSG5362
	Black	GFSG5262BLK	GFSG5362BLK
	Gray	GFSG5262GRY	GFSG5362GRY
	Ivory	GFSG5262I	GFSG5362I
	Red	GFSG5262R	GFSG5362R
	White	GFSG5262W	GFSG5362W
	Yellow	GFSG5262YEL	GFSG5362YEL



VERIFIED TO  
FEDERAL SPECIFICATION  
W-C-596

# **HUBBELL®**

## **Wiring Device-Kellems**

Count on Hubbell Wiring Device-Kellems for the most reliable and innovative wiring device product line in North America.

### **GET IN TOUCH:**



**custserv@hubbell.com**



**(800) 288-6000**



**[www.hubbell.com/wiringdevice-kellems](http://www.hubbell.com/wiringdevice-kellems)**



**Hubbell Wiring Device-Kellems**  
**40 Waterview Drive**  
**Shelton, CT 06484**

