

Rittal – The System.

Faster – better – everywhere.

Lock Insert – SZ 2522.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Lock Insert – SZ 2522.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version: C

Material: Die-cast zinc

Product features

Suitable for: Enclosure type: AE with cam, stainless steel
Enclosure type: Basic AE with cam, stainless steel
Enclosure type: One-piece console, console cover, stainless steel

Dimensions: Length: 41 mm (1.6 ")

Lock Insert: Daimler insert

Packaging unit: 1 pc(s).

Weight/packaging unit: 0.03 kg (0.1 lb.)

EAN: 4028177026131

Customs tariff number: 83015000

ETIM 6.0: EC000743

ETIM 5.0: EC000743

eCl@ss 8.0/8.1: 27409218

eCl@ss 7.0/7.1:	27409218
eCl@ss 6.0/6.1:	27409218
eCl@ss 5.1/5.1.4:	27189256
Product description (long):	SZ Lock insert, version C, Die-cast zinc, 7 mm Daimler insert, L: 41 mm
Approvals	
Certificates:	EAC