

# Rittal – The System.

Faster – better – everywhere.

## Flow regulator valve – SK 3301.940

Date : May 25, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Flow regulator valve – SK 3301.940

created: 25.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Description:</b>	For use with air/water heat exchangers, especially if more than one heat exchanger ( $n > 1$ ) is used in the water cooling circuit. The correctly set valve ensures the same quantity of cooling medium for all equipment.
---------------------	---

<b>Applications:</b>	The valve is also used for hydraulic balancing.
----------------------	---

<b>Setting range:</b>	3 l/min - 12 l/min
-----------------------	--------------------

<b>Material:</b>	Brass
------------------	-------

## Product features

<b>Valve design:</b>	$\frac{3}{4}$ " x $\frac{3}{4}$ " for volumetric flow control
----------------------	---

<b>Packaging unit:</b>	1 pc(s).
------------------------	----------

<b>Weight/packaging unit:</b>	0.18 kg (0.4 lb.)
-------------------------------	-------------------

<b>EAN:</b>	4028177448667
-------------	---------------

<b>Customs tariff number:</b>	84818073
-------------------------------	----------

<b>ETIM 6.0:</b>	EC002620
------------------	----------

<b>ETIM 5.0:</b>	EC002620
------------------	----------

<b>eCl@ss 8.0/8.1:</b>	27189261
------------------------	----------

<b>eCl@ss 7.0/7.1:</b>	27189269
<b>eCl@ss 6.0/6.1:</b>	27189269
<b>eCl@ss 5.1/5.1.4:</b>	27180792
<b>Product description (long):</b>	SK Flow regulator valve, 3/4x3/4" volumetric flow control, for Air/water heat exchanger
<b>Approvals</b>	
<b>Certificates:</b>	EAC