

Rittal – The System.

Faster – better – everywhere.

Flow regulator valve – SK 3301.930

Date : May 25, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Flow regulator valve – SK 3301.930

created: 25.05.2018 build on www.rittal.com/us-en



Product description

Description: For use with air/water heat exchangers, especially if more than one heat exchanger ($n > 1$) is used in the water cooling circuit. The correctly set valve ensures the same quantity of cooling medium for all equipment.

Applications: The valve is also used for hydraulic balancing.

Setting range: 3 l/min - 12 l/min

Material: Brass

Product features

Valve design: $\frac{3}{4}$ " x $\frac{1}{2}$ " for volumetric flow control

Packaging unit: 1 pc(s).

Weight/packaging unit: 0.17 kg (0.4 lb.)

EAN: 4028177448650

Customs tariff number: 84818073

ETIM 6.0: EC002620

ETIM 5.0: EC002620

eCl@ss 8.0/8.1: 27189261

eCl@ss 7.0/7.1:	27189269
eCl@ss 6.0/6.1:	27189269
eCl@ss 5.1/5.1.4:	27180792
Product description (long):	SK Flow regulator valve, 3/4x1/2" volumetric flow control, for Air/water heat exchanger
Approvals	
Certificates:	EAC