

Rittal – The System.

Faster – better – everywhere.

Cable set for OM adapter with spring- cage terminal – SV 9340.860

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cable set for OM adapter with spring-cage terminal – SV 9340.860

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	Pre-assembled connection cables for individual connection of switchgear, top-mounted on OM adaptors with tension spring clamps.
Material:	PVC insulation Temperature resistant to 105°C Wire ends with ultrasonic wire-end compression at both ends
Note:	AWG = American Wire Gage

Product features

Cross-section:	AWG 12 = 3.31 mm ² $\triangleq$ 4 mm ²
Dimensions:	Length: 140 mm (5.5 ") Cross-section: AWG 12 = 3.31 mm ² $\triangleq$ 4 mm ²
Packaging unit:	15 pc(s).
Weight/packaging unit:	0.09 kg (0.2 lb.)
EAN:	4028177502710
Customs tariff number:	85444290
ETIM 6.0:	EC000839

ETIM 5.0:	EC000839
eCl@ss 8.0/8.1:	27062302
eCl@ss 7.0/7.1:	27400613
eCl@ss 6.0/6.1:	27400613
eCl@ss 5.1/5.1.4:	27370302
Product description (long):	SV Cable set, AWG 12, L: 140 mm
Approvals	
Certificates:	EAC
Declarations:	Declaration of conformity