




Quality Products. Service Excellence.

Filterfan Rainhoods - 4/4X *RHN4 Series*



Application

- Type 4/4X (IPx6) Rainhoods (when used with PF Series Filterfans)
- Ideal for locations with high exposure to spraying water
- Painted galvanized steel version for Type 4
- 304 and 316 stainless steel versions for Type 4X
- Specially gasketed, 316 stainless steel, sanitary version for FDA compatible Type 4X
- Sold individually

Features


- Easy installation - mounting bracket installed around cutout and rainhood slides down over bracket
- High compression, closed cell black gasket with multiple seal dams ensure tight, waterproof seal
 - Sanitary version has special FDA compatible, white multiple seal gasket
- Direct spray barrier/baffle designed to maximize airflow while providing superior protection from overspray

Standards

- UL / cUL Listed Type 4 or 4X (as noted)
 - must be used in combination with PF Series Filterfan

Finish

- Base mounting bracket - unpainted 304 SS
- Rainhood Covers
 - Type 4 - ANSI61 Gray (GY) or RAL7035 Light Gray (LG) powder coated finish on galvanized steel
 - Type 4X - 304 or 316 stainless steel with #4 brushed finish
 - Sanitary Type 4X - 316 stainless steel with #4 brushed finish



Part No.	Overall Dimensions			Cut-out		Bolt Pattern		Use with	Rating/Finish
	A	B	C	G	D	E	F		
RH20000N4GY	8.70	10.44	3.56	6.18	5.93	7.05	5.08	PF22000/PFA20000	Type 4 / ANSI 61 Gray
RH20000N4LG	8.70	10.44	3.56	6.18	5.93	7.05	5.08	PF22000/PFA20000	Type 4 / RAL7035
RH20000N4SS	8.70	10.44	3.56	6.18	5.93	7.05	5.08	PF22000/PFA20000	Type 4X / 304 Stainless Steel
RH20000N4S16	8.70	10.44	3.56	6.18	5.93	7.05	5.08	PF22000/PFA20000	Type 4X / 316 Stainless Steel
RH20000N4S16FDA	8.70	10.44	3.56	6.18	5.93	7.05	5.08	PF22000/PFA20000	Sanitary Type 4X / 316 Stainless Steel
RH30000N4GY	10.87	12.68	3.56	8.43	8.18	9.30	7.32	PF3X000/PFA30000	Type 4 / ANSI 61 Gray
RH30000N4LG	10.87	12.68	3.56	8.43	8.18	9.30	7.32	PF3X000/PFA30000	Type 4 / RAL7035
RH30000N4SS	10.87	12.68	3.56	8.43	8.18	9.30	7.32	PF3X000/PFA30000	Type 4X / 304 Stainless Steel
RH30000N4S16	10.87	12.68	3.56	8.43	8.18	9.30	7.32	PF3X000/PFA30000	Type 4X / 316 Stainless Steel
RH30000N4S16FDA	10.87	12.68	3.56	8.43	8.18	9.30	7.32	PF3X000/PFA30000	Sanitary Type 4X / 316 Stainless Steel
RH40000N4GY	12.84	14.65	3.56	10.39	10.15	11.26	9.29	PF4XX00/PFA40000	Type 4 / ANSI 61 Gray
RH40000N4LG	12.84	14.65	3.56	10.39	10.15	11.26	9.29	PF4XX00/PFA40000	Type 4 / RAL7035
RH40000N4SS	12.84	14.65	3.56	10.39	10.15	11.26	9.29	PF4XX00/PFA40000	Type 4X / 304 Stainless Steel
RH40000N4S16	12.84	14.65	3.56	10.39	10.15	11.26	9.29	PF4XX00/PFA40000	Type 4X / 316 Stainless Steel
RH40000N4S16FDA	12.84	14.65	3.56	10.39	10.15	11.26	9.29	PF4XX00/PFA40000	Sanitary Type 4X / 316 Stainless Steel
RH60000N4GY	15.51	17.33	3.56	12.91	12.75	13.95	12.07	PF6XX00/PFA60000	Type 4 / ANSI 61 Gray
RH60000N4LG	15.51	17.33	3.56	12.91	12.75	13.95	12.07	PF6XX00/PFA60000	Type 4 / RAL7035
RH60000N4SS	15.51	17.33	3.56	12.91	12.75	13.95	12.07	PF6XX00/PFA60000	Type 4X / 304 Stainless Steel
RH60000N4S16	15.51	17.33	3.56	12.91	12.75	13.95	12.07	PF6XX00/PFA60000	Type 4X / 316 Stainless Steel
RH60000N4S16FDA	15.51	17.33	3.56	12.91	12.75	13.95	12.07	PF6XX00/PFA60000	Sanitary Type 4X / 316 Stainless Steel

Data subject to change without notice

