

Rittal – The System.

Faster – better – everywhere.

Keyboard, pull-out with integral trackball – SM 6002.130

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Keyboard, pull-out with integral trackball – SM 6002.130

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description:	Super-slimline keyboard with cursor keys and trackball. The handle also acts as a hand rest. At a 10° angle for good ergonomics when typing.
Material:	Carbon steel
Surface finish:	Front panel: Powder-coated
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 65 (at the front, sealed)
Note:	Keyboard IBM-AT compatible (MF2)

Product features

Installation options:	in all sufficiently large surfaces (e.g. door, side panel) Front panels directly in the Comfort Panel or Optipanel with the appropriate size
Operating temperature:	Operation (environment): +5°C...+50°C Storage: -10°C...+60°C
Ambient humidity (non-condensing):	Operation (environment): 95 %
Keyboard layout:	German
Number of keys:	84

Interfaces/connections:	General aspects: 2 x USB
Packaging unit:	1 pc(s).
Weight/packaging unit:	4.92 kg (10.8 lb.)
EAN:	4028177682122
Customs tariff number:	84716060
ETIM 6.0:	EC001692
ETIM 5.0:	EC001692
eCl@ss 8.0/8.1:	19130490
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189244
Product description (long):	SM Keyboard, pull-out, with integrated trackball, German
Approvals	
Declarations:	Declaration of conformity