KILLARK®

ENY-4M - 1-1/4" ENY Seal Fitting Iron, Female/Female

By Killark
Catalog # ENY-4M

1-1/4" ENY Seal Fitting Iron, Female/Female

*Representative Image

Application

Class I, Divisions 1 and 2: The purpose of seals in a Class I hazardous location is to minimize the passage of gases and vapors and prevent the passage of flames from one electrical installation to another through the conduit system. Seals are required to

General

Catalog Number	ENY-4M
EU RoHS Indicator	Contact Manufacturer
Finish Type	Powder Epoxy Paint
Material	Iron
Series	ENY
Type	Sealing Fitting
UPC	783936111346

Dimensions

Dimensions	3.5 in x 3.5 in x 7.875 in
Gross Weight with Packaging	3.06
Height	7.875 in
Hub Size	1-1/4"
Length	3.5 in
Width	3.5 in

Certifications And Compliance

CSA File Number	LR11716

Hazardous Rating(s)	• Class I, Divisions 1 & 2, Groups A, B, C, D
	• Class I, Zones 1 & 2, Groups IIC, IIB, IIA
	• Class II, Divisions 1 & 2, Groups E, F, G
	• Class III, Divisions 1 & 2
UL File Number	E10514

Product Assets

Catalog Page - Fittings: EY Series
Catalogs - Killark Catalog
Certifications - ENY Series & Sealing Compound CSA Certificate
Certifications - EY & EYD Series Sealing Fittings UL Certification
Certifications - ENY Series Sealing Fittings UL Certifications
Customer Notices - Prop 65 Notice
Installation Manuals - Seal Fitting Max Wire Fill IOM K1120
Installation Manuals - ENY Series IOM K1491
Literature - ENY Series Expanded Product Offering
Literature - Hazardous-rated seal-off fittings in expanded trade sizes and with improved design
Specifications - ENY-4M Specification Sheet French
Specifications - ENY Spec Sheet
Specifications - Sealing Materials Specification Sheet
Specifications - EY-ENY-EYS-EYD Series Sealing Fittings Specification Sheet
Specifications - ENY4M Specification Sheet English
Specifications - Sealing Compound & Packing Fiber Specification Sheet