

Eaton LPS-RK-5-6/10SP

Catalog Number: LPS-RK-5-6/10SP

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 5.6 A, Dual, RK1, Non-indicating, Ferrule end x ferrule end, Time delay/Current-limiting, 10 sec at 500%, 300 kAIC at 600 V/100 kAIC at 300 Vdc, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LPS-RK fuse	LPS-RK-5-6/10SP
UPC	Product Length/Depth
051712548243	5 in
Product Height	Product Width
0.81 in	0.81 in
Product Weight	Warranty
1.6 lb	Not Applicable
Compliances	
CE Marked	



Electrical rating

Amperage Rating

5.60A

Interrupt rating

300 kAIC at 600 Vac

100 kAIC at 300 Vdc

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

[LPS-RK-5-6/10SP~LPS-RK-5-6-10SP~LOW-PEAK DUAL ELEMENT](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - LPS-RK-5-6/10SP](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)