

# Eaton LPS-RK-8SP

Catalog Number: LPS-RK-8SP

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 8 A, Dual, RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Standard, 10, 600 V, 300 Vdc

## General specifications

Product Name	Catalog Number
Eaton Bussmann series LPS-RK fuse	LPS-RK-8SP
UPC	EAN
051712548281	5027590154116
Product Length/Depth	Product Height
5 in	0.81 in
Product Width	Product Weight
0.81 in	0.17 lb
Warranty	Compliances
Not Applicable	CE Marked



## Electrical rating

### Amperage Rating

8 A

### Interrupt rating

300 kAIC at 600 Vac

100 kAIC at 300 Vdc

### Response time

10 sec at 500%

### Voltage rating

600 Vac, 300 Vdc

## Physical details

### Fuse type

Time delay

Current-limiting

### Number of elements

Dual

### Packaging type

Standard

## General information

### Class

Class RK1

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

### Special features

Electrically isolated end cap

## Resources

### Catalogs

LPS-RK-8SP~LOW-PEAK DUAL ELEMENT

Bussmann series complete full line catalog no. 1007

### Multimedia

Bussmann series Fuseology

### Specifications and datasheets

Eaton Specification Sheet - LPS-RK-8SP

### Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)