

Eaton MV155F2DCX200E

Catalog Number: MV155F2DCX200E

Eaton Bussmann series MV055 E-Rated medium voltage fuse, 15.5 kV, 200A, 50 kAIC, Non Indicating, Current limiting, Ferrule end X ferrule end, Fiberglass tube, 2

General specifications

Product Name	Catalog Number
Eaton Bussmann series MV155F E-rated MV155F2DCX200E fuse	UPC 051712552899
Product Length/Depth 0.75 in	Product Height 23 in
Product Width 0.75 in	Product Weight 24.1 lb
Warranty Not Applicable	Compliances Contact factory
Certifications ANSI	



Electrical rating

Amperage Rating

200 A

Interrupt rating

50 kAIC

Voltage rating

15.5 kV

Physical details

Material

Fiberglass tube

Packaging type

Standard

General information

Barrels

2

Connection

Ferrule end x ferrule end

Element

Silver ribbon

Fuse indicator

Non Indicating

Resources

Catalogs

[Bussmann series 2018 full line catalog no. 1007, section 7 - medium voltage fuses](#)

[Bussmann series complete full line catalog no. 1007 MV155F2DCX200E-MEDIUM VOLTAGE E-RATED](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - MV155F2DCX200E](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)