

Eaton NITD4

Catalog Number: NITD4

Fuse-link, LV, 4 A, AC 550 V, BS88/A1, 14 x 55 mm, gL/gG, BS

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage	NITD4
British standard fuse	UPC
	051712840071
EAN	Product Length/Depth
5027590504171	55 mm
Product Height	Product Width
14 mm	14 mm
Product Weight	Warranty
14.65 g	Not Applicable
Compliances	Certifications
RoHS Compliant	IEC 60269-2
CE Marked	BS88



Electrical rating

Amperage Rating

4 A

Breaking capacity

80 kA

Interrupt rating

80 kAIC

Rated switching capacity

80 kA

Voltage rating

550 V

Voltage type

AC

Physical details

Color

None

Fuse type

NITD

General information

Class

Class gG/gL

Connection

Bolt-on

Construction size

A1

Fitted with:

Offset bolted tags

Fuse indicator

None

Fuse shape

Offset slotted bolted tags

Fuse size

BS88/A1

Insulated metal gripping lugs (IMGL)

No

Utilization category

gL/gG (cable protection/equipment protection)

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[CE AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M](#)

[UKCA AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M](#)

Specifications and datasheets

[Eaton Specification Sheet - NITD4](#)

Technical data sheets



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)