



Project: CVG



Flexible Conduits & Fittings

T&B Catalog Number:

UPC Number:

Status:

Description:

BVYD-121010GT

78620995414

Active

PMAFIX black one-piece 'Y' connector with universal safety clip, material - polyamide 6. Fits to conduit size NW - 12, 10, 10 .

Application

In a wide range of applications where it is important that the cable protection system offers a high grade of sealing and safety.

Characteristics

	Self-extinguishing, free of halogen and cadmium and are extremely shock resistant
	Very high impact resistance
	Vibration-proof connection to PMAFLEX conduits
	Easy mounting, simple conduit push-in instructions
	High conduit pull-out strength
	Can be easily re-opened with a screwdriver
	Very good chemical properties
	Fits both conduit profiles - Fine (T) and coarse (G)

General

Material	Polyamide 6
Color	Black
Suitable for Use With	PMAFLEX, PMA Smart Line

Dimension Information

Fits to Conduit Size (NW)	12
Fits to Conduit Size (metric)	16
Fits to Conduit Size (inches)	3/8
Output fits to conduit size NW	10
Output fits to conduit size - Metric	12

Technical Information

Temperature Range-Continuous (Celsius)	-40 degree C to +105 degree C
Temperature-Short-Term (Celsius)	+160 degree C
Technical Data Sheet	Available on Website
Chemical Resistance Chart	Available on Website

Specifications

3dmodel	Available on Website
---------	----------------------

IP Ratings

IP Rating	IP66 stat. / IP54 dyn.
-----------	------------------------

Packaging

T&B Inner Pack	20
Package in Units	240
T&B Sold in UOM	Each
T&B Weight Per UOM	0.04 lbs. Each

Application Support

PMA Reference Guide	Available on Website
Product Overview-PMAFIX Connectors	Available on Website
PMAFIX Connectors-Safety and Sealing Systems	Available on Website

Certifications

RoHS Compliance	Yes
-----------------	-----

For further technical assistance, please contact us...

Thomas & Betts - USA
8155 T&B Blvd.
Memphis, TN 38125
www.tnb.com

T&B Technical Support
MS 3B-50
8155 T&B Blvd.
Memphis, TN 38125

Hours: 7AM - 6PM CDT
Monday-Friday
Phone: (888) 862-3289
Fax: (901) 252-1321
Email: techsupport@tnb.com